

SAN DIEGO REGIONAL PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX A

REPRESENTATION		NAME	MEMBER / ALTERNATE
<b>South County Subregion</b>	City of Chula Vista	Brendan Reed	Member
	City of Imperial Beach	Chris Helmer	Alternate
<b>North County Coastal Subregion</b>	City of Del Mar	Ramsey Helson	Member
	City of Carlsbad	Mike Grim	Alternate
<b>North County Inland Subregion</b>	City of Escondido	Kathy Winn	Member
	Vacant	Vacant	Alternate
<b>East County Subregion</b>	City of Santee	Kathy Valverde	Member
	City of La Mesa	Scott Munzenmaier	Alternate
<b>City of San Diego</b>		Jacques Chirazi	Member
		Vacant	Alternate
<b>County of San Diego</b>		Peter Livingston	Member
		Susan Freed	Alternate
<b>San Diego Association of Governments</b>		Susan Freedman, Chair	Member
		Allison King	Alternate
<b>San Diego Regional Airport Authority</b>		Paul Manasjan	Member
		Brett Caldwell	Alternate
<b>Caltans, District 11</b>		Chris Schmidt	Member
		Vacant	Alternate
<b>Unified Port District of San Diego</b>		Michelle White	Member
		Jenny Lybeck	Alternate
<b>San Diego Gas &amp; Electric</b>		Joel Pointon	Member
		Randy Schimka	Alternate
<b>California Center for Sustainable Energy</b>		Mike Ferry, Vice Chair	Member
		Colin Santulli	Alternate
<b>University of California, San Diego</b>		Dave Weil	Member
		Jim Ruby	Alternate
<b>Miramar College, Advanced Transportation Technology and Energy Program</b>		Greg Newhouse	Member
		Vacant	Alternate
<b>San Diego Electric Vehicle Network</b>		Randy Walsh	Member
		Vacant	Alternate
<b>National Electrical Contractors Association</b>		Karen Prescott	Member
		Tim Dudek	Alternate
<b>International Brotherhood of Electrical Workers Local 569</b>		Micah Mitrosky	Member
		Vacant	Alternate


# Plug-in Electric Vehicles & Charging: Getting Started

California is leading the nation in plug-in electric vehicle (PEV) adoption, and about 20% of PEVs in California are in the San Diego region. Interested in learning more about these new vehicles on our roads and highways? Here are some answers to your questions about the basics of PEVs, benefits of PEVs, charging options, and available incentives.


## What is a plug-in electric vehicle?

A plug-in electric vehicle (PEV) is the generic term for cars that operate, fully or partially, on battery power and that are charged from the electricity grid. There are two main types of PEVs: battery electric vehicles and plug-in hybrid electric vehicles.

**Battery Electric Vehicle (BEV)** - Runs on electricity stored in batteries and has an electric motor rather than an internal combustion engine.



**Plug-in Hybrid Electric Vehicle (PHEV)** - Plugs into the grid and operates on electricity as well as an internal combustion engine.



## What are all the options?

There are currently more than **20 different PEV models** on the market, offered by a variety of manufacturers. Check out an EV buying guide at <http://www.driveclean.ca.gov>.

## How far can I drive?

Battery electric vehicles can generally go 60 – 120 miles on a full charge, which is plenty of range for most people (the average Californian travels less than 30 miles a day). If more range flexibility is needed, a plug-in hybrid might be a better choice. They can generally run on battery alone for 10 – 40 miles, and then continue for up to 400 miles as a gasoline-electric hybrid.

## Why should I drive a PEV?

- Help to reduce emissions and improve air quality

- Lower fueling costs
    - ✓ Save money and charge your vehicle overnight with SDG&E’s time-of-use rates.
- Learn more at



<http://www.sdge.com/evrates>.

- Lower maintenance costs
  - ✓ No more oil changes, fewer tune-ups

## How do I charge?

Most PEV drivers will do the majority of their charging at home, but the availability of public charging stations is growing. Public stations offer drivers more charging options. A list of public charging locations can be found at <http://www.afdc.energy.gov/afdc/locator/stations>.

## How long does it take to charge?

Charging times depend on three primary factors: the size of the battery, the onboard vehicle charger, and the type of charging equipment. The onboard charger is located in the vehicle and determines the amount of power that can enter the vehicle from the grid. Generally, BEVs have a larger battery compared to PHEVs. Three types of charging equipment are described in the table below:

Type of Charger	Miles of Range for 1 hour of charge	Where to charge?
<b>Level 1</b> (120 volt)	3 to 4	Standard three-pronged outlet
<b>Level 2</b> (240 volt)	8 to 20	At-home or public charging station
<b>DC Fast Charger</b>	50 to 60	Few public DC Fast Chargers

## Are there incentives for buying or leasing a PEV?

For a limited time, rebates and tax breaks are available for PEV purchasers and lessees.

Incentives include a state rebate of up to **\$2,500**, a federal tax credit of up to **\$7,500**, and HOV lane access.



- Find information on PEV rebates, discounts, HOV access, tax breaks, and other incentives available in your area at <http://driveclean.ca.gov/pev/Incentives.php>.

Tax credits are also available for charging stations and allow consumers to claim up to 30% of the cost of hardware and installation, find out more at <http://www.afdc.energy.gov/laws/law/US/10513>.

## Resources for Public Agencies in San Diego

Plug-in electric vehicles (PEVs) are becoming more common, and local permitting agencies should be prepared for the growing PEV market and understand how PEVs can help agencies' achieve climate and sustainability goals. This fact sheet was developed by the San Diego Regional Electric Vehicle Infrastructure<sup>1</sup> (REVI) working group and offers San Diego's public agencies resources and technical training information as they become PEV ready.

### PEV Readiness Toolkit

The California PEV Collaborative offers numerous resources for local government officials on state and federal incentives for PEVs and electric vehicle supply equipment (EVSE). The PEV Readiness Toolkits include quick references for



developing municipal planning and community development policies to support and promote PEVs. Visit <http://www.pevcollaborative.org/policy-makers>.

### Building Support - engineers, plan checkers, project managers, and building officials

#### Permitting

Electric vehicle charging systems are relatively new to permitting departments and are often permitted through existing processes and permits. The Cities of Oceanside and San Diego have developed guidance documents to aid with the permitting, installation, and inspection processes.

- City of Oceanside *Residential Electric Vehicle Charger Guidelines*  
<http://www.ci.oceanside.ca.us/civica/filebank/blobload.asp?BlobID=30053>
- City of San Diego *Information Bulletin 187: How to Obtain a Permit for Electric Vehicle Charging Systems*  
<http://www.sandiego.gov/development-services/pdf/industry/infobulletin/ib187.pdf>
- The PEV Collaborative has developed *Streamlining the Permitting and Inspection Process for Plug-in Electric Vehicle Home Charger Installations*, which includes statewide codes and standards, recommended permitting fees, and background information on EVSE hardware.  
[http://www.evcollaborative.org/sites/all/themes/pev/files/PEV\\_Permitting\\_120827.pdf](http://www.evcollaborative.org/sites/all/themes/pev/files/PEV_Permitting_120827.pdf)
- Department of Energy's Alternative Fuels Data Center EVSE permitting template for jurisdictions  
[http://www.afdc.energy.gov/pdfs/EV\\_charging\\_template.pdf](http://www.afdc.energy.gov/pdfs/EV_charging_template.pdf)

### Regional Permit Fees

From mid-2011 to early 2013, the EV Project<sup>2</sup> reported that the median cost for permitting a residential EVSE installation was \$226. Permitting fees vary by jurisdiction, so it is a good idea to contact the permitting agency for specific fees.

### Building & Electrical Codes

The National Electrical Contractors Association provides a common set of electric vehicle terminology and code in the presentation linked below<sup>3</sup>. Pacific Gas & Electric offers a condensed version of code requirements for EVSE installations, from disability requirements to PEV signage, at

<http://www.pge.com/includes/docs/pdfs/shared/environment/pge/cleanair/ev5pt3.pdf>.

### Planning Department Staff - planners

### Addressing Accessibility for PEV Chargers

<sup>1</sup> <http://energycenter.org/programs/pev-planning/san-diego>

<sup>2</sup> San Diego REVI meeting, *The EV Project: Initial Findings On Charging Behavior*, April 18, 2013. <http://www.theevproject.com/>

<sup>3</sup> <http://iae-western.org/Files/2011/Programs/NECA%20EVSE%20Presentation%20NECA%20SD%202011%20Western%20IAEI%20Section.pdf>

## PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX B

Assuring charging systems are accessible to all drivers is critical for public adoption. The Office of Planning and Research (OPR), in conjunction with the Department of the State Architect, is developing a guidance document to help public agencies standardize accessibility opportunities for PEV charging. To view or download copies of the draft guidelines, visit [http://opr.ca.gov/docs/PEV\\_Access\\_Guidelines.pdf](http://opr.ca.gov/docs/PEV_Access_Guidelines.pdf).

The City of San Diego has developed a comprehensive technical policy guide addressing accessibility and PEV parking at <https://www.sandiego.gov/development-services/pdf/industry/tpolicy11b1.pdf>.

### Parking Guidelines

The California Green Building Standards Code (CALGreen) includes standard statewide Residential and Non-Residential Voluntary Measures for PEV and EVSE listed in Appendix 5A of CALGreen:

[http://www.documents.dgs.ca.gov/bsc/CALGreen/2010\\_CA\\_Green\\_Bldg.pdf](http://www.documents.dgs.ca.gov/bsc/CALGreen/2010_CA_Green_Bldg.pdf)

#### CALGreen Code Sections for PEV and EVSE:

- A5.106.5.1 Designated parking for fuel-efficient vehicles
- A5.106.5.3.1 Electric vehicle supply wiring
- A5.106.6 Parking capacity

### Parking Enforcement


The City of Santa Monica has adopted an electric vehicle parking ordinance. This ordinance offers an example for other local agencies interested in incorporating and enforcing PEV parking into existing policy documents.

- 3.12.835 Electric vehicle parking (adopted at Santa Monica City Council Meeting 07/24/2012)<sup>4</sup>

The California Department of Motor Vehicles has codified electric vehicle parking enforcement with Vehicle Code (VC) Section 22511 *Off-Street Parking: Electric Vehicle*, a standard template available for use by local jurisdictions.<sup>6</sup>

### PEV Signage

The California Manual on Uniform Traffic Control Devices has released a statewide traffic operations policy directive on zero-emission vehicle signs and pavement markings standardizing signs and markings for PEV charging stations and parking stalls.<sup>5</sup>



### Safety Training for First Responders



The ATTE program trained SANDAG's Freeway Service Patrol (FSP) drivers.

Firefighters, police officers and other first responders encounter PEVs when responding to incidents. For their safety and the safety of the public, it is essential that they receive PEV training.

*National Alternative Fuels Training Consortium* – First responder safety training  
<http://afvsafetytraining.com>

*National Fire Protection Association* – Online first responder safety training  
<http://www.evsaftytraining.org/training.aspx>

*Miramar College: Advanced Transportation Technology and Energy Program (ATTE)* - Technical education, training and resources  
<http://www.attemiramar.com/>

*First Responder Guides for Tesla Vehicles*  
<http://www.teslamotors.com/firstresponders>

<sup>4</sup> <http://www.smgov.net/departments/council/agendas/2012/20120724/s2012072407-A-1.htm>

<sup>5</sup> <http://www.dot.ca.gov/hq/traffops/signtech/signdel/policy/13-01.pdf>

<sup>6</sup> <http://www.dmv.ca.gov/pubs/vctop/d11/vc22511.htm>

# Regional Planning for Public Charging in San Diego

As plug-in electric vehicle (PEV) adoption increases in San Diego region, local and regional governments and public agencies need to develop land use policies and transportation plans that integrate electric vehicle supply equipment (EVSE) into the infrastructure network. Supporting PEVs helps advance local government and public agency efforts to achieve goals for greenhouse gas emission reduction while cutting their fuel use and costs.

## Why plan at all?

- Near-term needs
  - Identify method to best site PEV chargers
  - Use visual tools through GIS mapping
  - Plan for 1,500 publicly accessible chargers
- Long-term goals
  - Select public sites with the most regional benefit
  - Reduce driver range anxiety
  - Develop interregional network
  - Enhance future siting capabilities

### What is the EV Project?

- ECOtality received \$230M funding from Dept. of Energy and partner matches
- Deploying chargers in major cities and metropolitan areas across the U.S.
- Collecting and analyzing data to evaluate EVSE infrastructure
- Identifying lessons learned and establishing streamlined deployment strategies

## What's been done?

*San Diego EV Project Stakeholder Advisory Committee (ESAC)*

- Participants: Local governments and public agencies, nonprofits, universities, utilities and private businesses
- Purpose: Provide input to ECOtality on the local context, history and motivation for EV adoption. Determine and rate factors to be used in siting Level 2 and DC fast charging (DCFC) EVSE.
  1. Characteristics of optimal Level 2 EVSE locations:
    - High number of users
    - High frequency of vehicle turnover (stay times of 45 minutes to 3 hours)
    - Significant availability (maximize hours and days of operation)
  2. Characteristics of optimal DCFC locations:
    - High number of users
    - Very high frequency of vehicle turnover (stay times of 5 to 30 minutes)
    - Significant availability
  3. All locations assessed against the land use suitability factor
  4. Weighted factors applied to the master geographic reference areas (MGRAs) and normalized to provide a score for each MGRA
  5. MGRAs mapped and focus placed on the highest scoring areas to identify potential locations for Level 2 EVSE – 3,333 MGRAs were targeted<sup>1</sup>

### *DC Fast Charging on Transportation Corridors*

The ESAC provided additional guidance on DCFC along transportation corridors and determined that the following specifications should be documented and taken into account in site selections:

- Major transportation corridors are defined as freeways and highways
  1. Interstate Freeways 5, 8, 15 and 805
  2. State Highways 52, 54, 56, 67, 78, 125, 163 and 905
- Approximately half of the transportation corridor DCFCs should be located at very high volume designed interchanges, with the remaining at slightly lower volume designed interchanges
- Consider characteristics of the host site use that match the typical charge times of 5 minutes to 25 minutes, such as a coffee shop, convenience store or other such businesses
- Spacing of DCFC should consider the potential of additional travel distance (up to 80 miles in 30 minutes)



## PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX B


- DCFC spacing should include locations on the periphery of the San Diego EV Project boundary. In addition, DCFCs should be deployed 30–50 miles beyond the boundary along the same transportation corridors.

### EV Project Installations

- Installations<sup>1</sup>
  - April 2011–May 2013: 435 nonresidential AC Level 2 EVSE units including 321 publicly accessible at 121 sites and 114 workplace/fleet EVSE units at 39 sites; 4 DCFC units in the region
- Installations vs Plan<sup>1</sup>
  - Analysis done for 3,333 units within ¼ mile (walking) of the highest scoring MGRAs
  - Several charging units were placed within ¼ mile of more than one MGRA
    - 1,138 (34%) MGRAs served by a deployed publicly accessible EVSE
    - 10 units installed in areas outside a targeted MGRA (not within ¼ mile).
    - 3 units installed far from the nearest MGRA, serving as a means to extend trips.

### EV Project Conclusions to Date<sup>2</sup>

- Charge events per public EVSE continue to increase
- 74% of all charging events are residential
- 27% of all public charging events are from Car2Go
- 19% of all electricity consumed is from publically accessible Level 2 and DC fast charge events



### What's next?

The EV Project was integral in establishing the region's EVSE infrastructure, however, a number of barriers still challenge the deployment of a complete regional EVSE network, including

- Challenges to implementation?
- Education
- Incentives/rebates — money
- Clear legislative and regulatory direction
- Better integration into local policies and activities
- More cohesive infrastructure network — connectivity between regions

We can work to overcome these obstacles by

- Further incorporating EVSE infrastructure into planning and development policies
- Considering PEVs in project design and as standard conditions of approval
- Continuing to coordinate with local, regional and neighboring communities/agencies/jurisdictions to link EVSE infrastructure networks
- Informing state agencies about regional challenges, concerns, considerations and impacts from policy and regulatory developments
- Getting the word out and continuing to educate leadership, community leaders and the public

<sup>1</sup>The EV Project: *Lessons Learned – The EV MICRO-CLIMATE Deployment Process in San Diego*  
[www.theevproject.com/cms-assets/documents/112390-451046.mcproc-sd.pdf](http://www.theevproject.com/cms-assets/documents/112390-451046.mcproc-sd.pdf)

<sup>2</sup>The EV Project: *Q2 2013 Quarterly Report*  
[www.theevproject.com/cms-assets/documents/127233-901153.q2-2013-rpt.pdf](http://www.theevproject.com/cms-assets/documents/127233-901153.q2-2013-rpt.pdf)

## Resources for Fleet Managers in San Diego

Plug-in electric vehicles (PEVs) offer government fleet managers opportunities to decrease fuel and operating costs while supporting goals mandated by local, state and federal policies to significantly reduce greenhouse gas (GHG) emissions.

### PEVs in Local Public Agency Fleets

Cleaner fleets can play a sizeable role in meeting local and state GHG emissions reductions goals. Local agency fleets that have successfully adopted PEVs include:

- Port of San Diego:  
<http://www.portofsandiego.org/environment/1520-nissan-electric-car-debuts-in-san-diego.html>
- University of California, San Diego:  
<http://sustainability.ucsd.edu/initiatives/transportation-alternatives.html>

#### Benefits of PEVs

Reduced petroleum use, GHG emissions and operating costs

Government incentives

Reduced dependence on imported oil

### PEVs in Private Fleets

Integrating clean vehicles in private fleets can help companies achieve their sustainability goals. Private fleets that have deployed PEVs in the San Diego region include:

- Frito-Lay: <http://www.fritolay.com/about-us/press-release-20120810.html>
- FedEx: <http://news.van.fedex.com/fedex-expands-hybrid-electric-fleet-50-percent-groundbreaking-conversion-program>
- car2go: <https://www.car2go.com/en/sandiego/>

### Vehicle Incentives and Rebates

- Local governments and public agencies can take advantage of PEV rebates offered by the Clean Vehicle Rebate Project for up to 20 vehicles per year.<sup>1</sup>
- The California Hybrid Truck and Bus Voucher Incentive Program is available to public entities purchasing a hybrid or electric truck or bus. Find out more at <http://www.californiahvip.org/>.
- The Goods Movement Emissions Reduction Program Proposition 1B provides funding for California truck owners to replace their old vehicles with newer, cleaner equipment.<sup>2</sup>

### Choosing the Right PEV

Choosing the right PEV for your fleet requires a thorough understanding of current vehicle use.

- Fleet data logs can help determine which fleet vehicles can be replaced by PEVs.
- Fleet vehicles that travel fewer than 100 miles per day can be replaced with battery electric vehicles (BEVs-100% electric).
- Fleet vehicles that need extended range can be replaced with plug-in hybrid electric vehicles (PHEVs).
- The Department of Energy maintains a website of currently available PEVs at [http://www.afdc.energy.gov/vehicles/electric\\_availability.html](http://www.afdc.energy.gov/vehicles/electric_availability.html).

### Charging PEVs at a Fleet Facility

An important consideration when planning for PEVs is the need for charging equipment, known as electric vehicle supply equipment (EVSE). San Diego Gas & Electric (SDG&E) can help plan for fleet charging. Learn more at <http://www.sdge.com/clean-energy/business/fleet>.

- SDG&E will help fleet managers understand their historic electricity use (demand and timing) to determine the most cost-effective plan for charging. Commercial customers will receive information on their facility's electrical capacity for charging.

<sup>1</sup> <https://energycenter.org/programs/clean-vehicle-rebate-project>

<sup>2</sup> San Diego fleet managers can keep up to date with funding for this program by visiting <http://www.sdapcd.org/homepage/grants/grants.html>.

## PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX B

---

- Fleet managers must determine the number, location and types of EVSE for their PEVs. The different levels of charging (Level 1: 120-volt, Level 2: 240-volt) offer different charging speeds and have different up-front and operating costs.
- Placing charging infrastructure near electrical utility equipment can reduce installation costs.

### Considerations for Fleet Managers

- Collect drive cycle data to understand fleet needs and which PEV would best meet those needs.
- Determine which fleet vehicles are optimal for replacement by PEVs.
- Consider future PEV fleet size and EVSE siting/needs when installing charging infrastructure.
- Inform drivers on ways to maximize fuel efficiency/battery life (reduce speeding, use of GPS route planning).
- Offer test drive opportunities to staff members and fleet drivers to promote and exhibit new technology.
- Share successful experiences with electric fleets and infrastructure installation among other regional fleet managers.
- Take into account the capital required for EV charging equipment and installation when planning for a new electric fleet.

### Resources

**California Energy Commission:** Resources for fleet managers interested in upgrading to a clean vehicle fleet can be found at <http://www.energy.ca.gov/drive/upgrade/fleets.html>.

**California Air Resources Board:** Resources for incentives, grants, and funding for fleet managers interested in greening their fleet can be found at [http://www.driveclean.ca.gov/pev/Resources\\_For\\_Fleets.php](http://www.driveclean.ca.gov/pev/Resources_For_Fleets.php).

**Department of Energy Clean Cities:** A Plug-In Electric Vehicle Handbook for Fleet Managers is available online at [http://www.afdc.energy.gov/pdfs/pev\\_handbook.pdf](http://www.afdc.energy.gov/pdfs/pev_handbook.pdf)

**Idaho National Laboratory Report:** A brief report comparing energy costs per mile for electric and gasoline-fueled vehicles by the Idaho National Laboratory is found at <http://avt.inel.gov/pdf/fsev/costs.pdf>.

**Department of Energy:** The DOE's tool, eGallon, calculates fuel savings by using electricity instead of gasoline at <http://energy.gov/articles/egallon-how-much-cheaper-it-drive-electricity>.



## Charging at Condos, Apartments and Community Living Areas

By 2050, half of the San Diego region's population is expected to be living in multi-unit dwellings (MUDs). When it comes to accommodating EV chargers, each MUD has its own unique set of circumstances and challenges to address. Below are some of the most common challenges and ways that local apartment buildings, homeowner associations (HOAs) and condos have addressed them. This document is designed to be used in conjunction with SDG&E's fact sheet on installing PEV charging stations in multi-unit dwellings titled, *Prepping Multi-Units for Plug-in Vehicles*.

### Reaching Out to Building Management or HOA

Since EV chargers will likely be installed in common areas, it is important to engage the building management or HOA early in the process. Identify any existing rules in the covenants, conditions and restrictions (CC&Rs) that could affect the installation of charging stations. It is best to be prepared and aware of any potential hurdles or opportunities by doing the research before approaching building management.

### Determining Demand for EV Charger Installations

Survey residents to gauge their interest in purchasing a plug-in electric vehicle (PEV). This survey will help determine the number of charging units and/or amount of conduit to install and in what layout(s). Identify demand for Level 1 versus Level 2 charging. Planning ahead by installing extra capacity for future charging units can save on costs down the road.


The PEV Collaborative has developed a sample survey for MUD residents. Both print and electronic survey options are available at [www.driveclean.ca.gov/pev/Charging/Home\\_Charging/Multi-unit\\_Dwellings.php#survey](http://www.driveclean.ca.gov/pev/Charging/Home_Charging/Multi-unit_Dwellings.php#survey)

### Allocating Costs

It is important to establish how EV charger installation, operations, maintenance, insurance and electricity bills will be paid. How costs are allocated will depend on how the chargers are installed. Potential options include:

- **Chargers in assigned spots:** Individual meters installed for each charging station and resident covers the actual charger cost, billing, insurance and maintenance of the unit. Installation costs for the meters, panel upgrades and conduit can either be covered by management, the resident or shared.
- **Common area chargers for residents only:** Building management installs electric vehicle supply equipment (EVSE) in common area and recoups costs from residents through a billing system in the charger.
- **Common area chargers for residents and general public:** Building management installs EVSE in public common area and recoups costs from residents and public through a billing system in the charger.

#### Tips for approaching building management about EV Charging

- Talk to other residents about their interest in EV charging and build a coalition of support
- Look for incentives for chargers available in your area:  
[www.driveclean.ca.gov/pev/Incentives.php](http://www.driveclean.ca.gov/pev/Incentives.php)
- Review the parking layout in relation to electrical supply and propose possible arrangements
- Contact SDG&E to help determine necessary panel and/or meter upgrades 

### Siting EV Chargers

Identify the location and type of electric metering and wiring in the parking area. Determine if existing supply is adequate or if a meter/panel upgrade is needed. If an upgrade is required, consider the capacity needed to accommodate additional PEV chargers in the future. Contact the building/planning department to discuss any permits or requirements that should be considered when siting chargers.

#### Power supply for EV chargers

- The closer the EVSE is to the power supply, the lower the installation costs will be.
- Installation costs will increase if a panel upgrade or meter installation is necessary. The power supply needs for Level 1 and Level 2 EVSE are as follows:
  - **Level 1:** Dedicated branch circuit with NEMA 5-15R or 5-20R receptacle
  - **Level 2:** Dedicated branch circuit hardwired to a permanently mounted EVSE with 240VAC/single phase, 4-wire

#### Assigned vs. unassigned parking spaces

Consider which assigned and unassigned parking spaces could accommodate PEV charging equipment. Key factors include:

- Proximity to electric meter; can avoid costly trenching through concrete. Soft landscapes or locations near the electric meter are preferred.
- Location for charging stations and bollards (short vertical post) to ensure EVSE cord does not present a tripping hazard

#### Accessibility to EV Chargers

See the City of San Diego EVSE accessibility guidelines for sample EVSE configurations:

[www.sandiego.gov/development-services/industry/pdf/tpolicy11b1.pdf](http://www.sandiego.gov/development-services/industry/pdf/tpolicy11b1.pdf)

### Policy Considerations

Legislation has been adopted in California to reduce barriers to the installation of EVSE in multi-unit dwellings. SB 880 prohibits common interest developments (e.g., condo/apartments) from restricting the installation of EVSE in a deeded/contracted parking space. If the charging unit is installed in a common area, the law does state that certain conditions can be imposed, including a \$1 million home owner liability policy that names the HOA as an additional insured.

### Resources for MUDs

#### San Diego Gas & Electric

[www.sdge.com/clean-energy/residential/apartments-and-condos](http://www.sdge.com/clean-energy/residential/apartments-and-condos)

SDG&E Quarterly MUD Vehicle Charging Workshops - [www.seminars.sdge.com](http://www.seminars.sdge.com)

#### Plug-in Electric Vehicle Resources Center

[http://www.driveclean.ca.gov/pev/Charging/Home\\_Charging/Multi-unit\\_Dwellings.php](http://www.driveclean.ca.gov/pev/Charging/Home_Charging/Multi-unit_Dwellings.php)

#### eVgo for Multi-Family Buildings

[www.evgonetwork.com/own-or-manage-multi-family-communities/](http://www.evgonetwork.com/own-or-manage-multi-family-communities/)

# Workplace Charging for Businesses in San Diego

As the number of plug-in electric vehicle (PEV) owners grows, businesses can offer workplace charging to help employees meet their commuting needs. Making workplace charging available to employees allows them more environmentally-friendly transportation options, demonstrates commitment to the community, helps attract and retain employees, and contributes toward green certifications.

## Key Considerations for Workplace Charging

The sections below describe the following key considerations for businesses interested in installing EV charging:

- Does your business own or lease its facilities?
- What type of charging is needed?
- What are different ways to pay for charging?

### What are other businesses saying?

A survey of local businesses with EV Chargers revealed the following:

*Why did your company decide to invest in chargers?*

- Achieve goals in company's sustainability plan
- Provide additional service to customers

*What benefits do you see from investing in chargers?*

- Positive impact and association with the company brand
- Increased visitation
- Employee attraction and retention

*Survey conducted by CCSE in 2012 of institutions in*

## Does your business own or lease its facilities?

### Building Owners

Employers that own their facility and parking area encounter fewer challenges when developing a plan for vehicle charging.

- ✓ Engage key stakeholders in the process, including PEV drivers, operations supervisors, building/facility manager, facility technicians, and legal counsel

### Building Tenants

Employers that do not own their facility will likely be required to obtain an agreement from the building or property owner.

- ✓ If an agreement cannot be reached with the owner, look to partner with a neighboring parking lot owner or another business to develop a cooperative PEV charging program

## What type of charging is needed?



Employers should determine the appropriate charging levels based on the electrical capacity available at their facility.

- ✓ Vehicles generally park at the workplace for 8-9 hours, which makes Level 1 charging an easy and cost-effective option
- ✓ Consider a hybrid approach with Level 1 serving the needs of most employees, and one or two charge-per-use Level 2 chargers available for those who need a quicker charge
- ✓ Installing in proximity to existing electric utility equipment is cheaper than adding new circuits and conduit that can increase capital costs significantly
- ✓ Incorporate PEV charging in future infrastructure plans and development

### Levels of Charging

*Level 1 – 120 volt  
(standard household outlet)*

*Level 2 – 240 volt  
(large home appliances)*

### Who will pay for the charging?

Employers can choose to cover electricity costs and allow employees to charge their vehicles for free, or an employer may want to recoup some or all of the electricity costs by requiring employees to pay for their charging.

#### Option 1: Free to employees

Many businesses offer PEV workplace charging for free to their employees.

Here are some reasons why:

- ✓ It offers an incentive to employees to support PEV adoption
- ✓ It simplifies the employee charging policy and reduces administrative time and expense
- ✓ Free charging could be considered a reportable employee benefit

However, there are some risks with offering free charging:

- ✓ Businesses could incur demand charges that become prohibitively expensive with greater PEV adoption
- ✓ May create workplace friction among non-PEV owning employees not receiving reimbursement for gasoline costs
- ✓ Employees with home charging may choose to charge exclusively at work

#### Option 2: Employees pay for charging

Billing employees for PEV charging can help recuperate capital and operational costs over time. Some considerations:

- ✓ Bill for exact usage (kWh), which may require more expensive equipment
- ✓ Set up a monthly/yearly subscription rate based on estimated usage
- ✓ Employ a third-party administered turn-key model that fully covers installation, maintenance, operation, and employee billing

### Resources

**SDG&E:** San Diego Gas & Electric (SDG&E) helps employers through the process of choosing and installing EV charging at their business. They offer workplace charging seminars, assistance in evaluating billing impacts, and other helpful tips for businesses. Visit: <http://www.sdge.com/clean-energy/business/employers-and-property-owners>.

**Employer EV Initiative:** Read about best practices, case studies, and more from employers across the state. Visit: <http://www.evworkplace.org>.

**San Diego REVI:** Find a Request for Proposal (RFP) template for public agencies or businesses interested in EVSE. Visit: <http://energycenter.org/plug-in-and-get-ready>.

**eVgo:** Local businesses can benefit from eVgo's Ready for Electric Vehicle (REV) Program for California office buildings and corporate complexes. They offer 100% free EV charging equipment and electricity reimbursement. Visit: <http://www.eVgoNetwork.com>.

### Steps to Workplace Charging

1. Engage PEV owners, facility staff, managers, and legal council
2. Survey employee interest in workplace charging
3. Discuss findings and PEV charging needs among employees and company decision-makers
4. Conduct a site assessment with a contractor to determine ideal charging locations and costs
5. Contact SDG&E to determine the potential billing impacts of PEV charging
6. Examine different charger options and compare the benefits and costs (e.g. Level 1, Level 2)
7. Determine equipment ownership— building/parking lot owner, EVSE vendor or lessee
8. Establish company policies for employee access, define employee benefit and cost recovery
9. Explore existing incentives or rebates for workplace chargers
10. Select equipment, obtain multiple installation quotes
11. Present installation plan and budget to management for approval
12. Purchase equipment and hire a licensed electrical contractor for permitting, installation and inspection
13. City/county inspection of the charger installation
14. Install signage, alert employees
15. Publicize and share with the community

Adapted from the Calif. PEV Collaborative  
*Workplace Charging Installation Guideline*

## Resources for Electrical Contractors in San Diego

San Diego accounts for more than 20% of total statewide plug-in electric vehicle (PEV) sales and has the largest all-electric vehicle car-sharing program in North America. With every PEV purchase, the need for charging infrastructure expands and the demand for local electrical contractors grows.

### Electrical Vehicle Supply Equipment Training

The PEV industry and local governments want to ensure contractors are completing safe and reliable electric vehicle supply equipment (EVSE) installations for their customers and constituents.

The International Brotherhood of Electrical Workers, in conjunction with the National Electrical Contractors Association, offers statewide EVSE installation training courses. The Electric Vehicle Infrastructure Training Program (EVITP) is designed for and available to all electrical contractors addressing best practices for residential, commercial, public, and fleet installations.

EVITP training is offered at regional community colleges and electric training centers. For information and a list of EVITP training opportunities, visit <http://www.evitp.org/training-programs> or email [info@evitp.org](mailto:info@evitp.org).

Training benefits to electrical contractors include:

- Learning new and emerging technologies
- Gaining competitive knowledge
- Qualifying to submit bids for RFQs and RFPs for EVSE installations
- Supporting California's goal to reach 1.5 million zero-emission vehicles on the road by 2025

### Electric Vehicle Supply Equipment Options

There are numerous EVSE product manufacturers and retailers. Many EVSE products are safety tested and certified by Underwriters Laboratories (UL). For a complete list of currently approved EVSE, visit <http://goelectricdrive.com/index.php/find-an-ev-charger>.

### Electrical Vehicle Supply Equipment Installation and Maintenance

Every EVSE installation is different. The following resources address EVSE safety as well as technical and consumer issues electrical contractors and inspectors may encounter.


#### **Regulatory Compliance**

The City of San Diego requires EVSE installations in public areas to be made accessible to persons with disabilities. The City of San Diego Technical Policy 11B-1 applies to the installation of EVSE in both new and existing construction. More information can be found at: <https://www.sandiego.gov/development-services/pdf/industry/tpolicy11b1.pdf>.

For installations outside the City of San Diego, contact the local permitting office for accessibility guidelines.

The Alternative Fuels Data Center (AFDC) lists California laws, state incentives, and regulations related to PEVs and other advanced vehicles, which is found at: [http://www.afdc.energy.gov/laws/state\\_summary/CA](http://www.afdc.energy.gov/laws/state_summary/CA).

#### **Installation and Inspection**

The EVSE installation process begins with a site assessment and tifying the EVSE.

#### Nearest EVITP training centers:

1. San Diego Electrical Training Trust  
[www.positivelyelectric.org](http://www.positivelyelectric.org)  
858-569-6633  
4675 Viewridge Ave.  
San Diego, CA 92123
2. Cuyamaca College  
<http://www.cuyamaca.edu/>  
619-660-4000  
900 Rancho San Diego Pkwy.  
El Cajon, CA 92019
3. Orange County Electrical JATC  
[www.ocett.org](http://www.ocett.org)  
714-245-9988  
717 South Lyon Street  
Santa Ana, CA 92705

The City of San Diego has developed an information bulletin that describes the permitting and inspection process for EVSE on an existing site or building, found here: <http://www.sandiego.gov/development-services/pdf/industry/infobulletin/ib187.pdf>.

Common EVSE installation steps are also included in Advanced Energy's document, *Charging Station Installation Handbook for Electrical Contractors and Inspectors*.<sup>1</sup>

### **Load Calculations**

Load calculations are a required component of most electrical permit submittals. The National Electric Code (NEC) considers EVSE a continuous load. EVSE-specific information can be reviewed in NEC Article 625 by visiting [http://www.advancedenergy.org/transportation/charging\\_station\\_forum](http://www.advancedenergy.org/transportation/charging_station_forum).

The City of Oceanside has developed an EVSE load calculation worksheet and included it within the *Residential Electric Vehicle Charger Guidelines* (see *Residential Installations*).

### **Residential Installations**

Most PEV charging takes place at home, overnight using Level 1 (120 volt) or Level 2 (240 volt) EVSE. EVSE is most often installed in a garage. EVSE installations for a single-family residence that can accommodate Level 2 EVSE is usually simple and straightforward. Installations may become more complex if an electrical service upgrade is required. Charging at multifamily developments offer additional considerations and often comes with higher cost estimates.

The cities of Oceanside and San Diego have developed guidance documents to help streamline the electric vehicle charger permitting process.

- City of Oceanside *Residential Electric Vehicle Charger Guidelines*  
<http://www.ci.oceanside.ca.us/civica/filebank/blobload.asp?BlobID=30053>
- City of San Diego *Information Bulletin 187: How to Obtain a Permit for Electrical Vehicle Charging Systems*  
<http://www.sandiego.gov/development-services/pdf/industry/infobulletin/ib187.pdf>

### **Nonresidential Installations**

Nonresidential EVSE locations include vehicle fleet facilities, workplaces, retail stores, parking lots, commercial garages, and other government-owned public spaces. The following sections in the *EV Project's San Diego EVSE Guidelines for public and commercial EVSE installations* provide more information about various installations<sup>2</sup>:

- Installation process for commercial fleet operations (p. 27)
- Installation flowchart for public charging (p. 34)

The Clean Cities Coalition *Electric Vehicle Handbook* includes detailed information on all of these topics and more at <http://www.afdc.energy.gov/pdfs/51228.pdf>.

---

<sup>1</sup> [http://www.bc3sfbay.org/uploads/5/3/3/9/5339154/charging\\_handbook.pdf](http://www.bc3sfbay.org/uploads/5/3/3/9/5339154/charging_handbook.pdf)

<sup>2</sup> <http://www.theevproject.com/downloads/documents/Electric%20Vehicle%20Charging%20Infrastructure%20Deployment%20Guidelines%20for%20the%20Greater%20San%20Diego%20Area%20Ver%203.2.pdf>



## ELECTRIC VEHICLE CHARGING STATION INSTALLATION GUIDELINES: RESIDENTIAL AND COMMERCIAL LOCATIONS

### *Streamlining the Permitting and Inspection Process of Residential and Commercial Electric Vehicle Charging Station Installations<sup>1</sup>*

#### **Purpose**

This guideline has been developed to streamline the permit and installation process of residential and commercial plug-in electric vehicle (PEV) charging stations, also known as Electric Vehicle Supply Equipment (EVSE). This guide can be used by jurisdictions as a template to provide clear information to homeowners and electrical contractors as to residential and commercial EVSE permitting requirements. Jurisdictions within the San Diego region are encouraged to use this document directly or modify it to reflect the specific requirements of their agency.

#### **How can I charge my plug-in electric vehicle at home?**



The type of PEV a person chooses to purchase may determine the way they charge their vehicle. A homeowner may plug their vehicle into a conventional 120-volt household outlet (three-pronged outlet) or install a 240-volt circuit for faster charging. PEVs come with a 120-volt charging cord that enables PEV owners to charge their PEV with a conventional 120-volt outlet. This is a very practical solution for owners of plug-in hybrid electric vehicles (PHEV), such as a Toyota Plug-in Prius or Chevrolet Volt.

On the other hand, a person that purchases a battery electric vehicle (BEV) like a Nissan LEAF may choose to charge using a Level 2 charging station. Level 2 charging stations use 240 volts, which takes about half the time to charge compared with 120 volts. Level 2 charging generally requires the installation of a dedicated circuit and a charging station at your home (usually in the garage). In this case, the homeowner will be required to obtain a permit from their local jurisdiction.

**Commercial Charging**

*Workplace Charging for Businesses in San Diego<sup>2</sup>* offers guidance for the installation of EVSE at non-residential locations. It includes information about how to assess the charging needs and potential of a commercial site and relevant resources.

The table illustrates the charging time associated with the most popular BEV and PHEV on the market.

Charging Level	Power Supply	Charger Power	Miles/Hour of Charge	Type of PEV	
				Nissan LEAF	Chevrolet Volt
Level 1 	120 VAC	1.4 kW (onboard charger)	~3–4 miles	~17 hours	~9 hours
Level 2 	240 VAC	3.3 kW (onboard charger)	~8–10 miles	~7 hours	~3 hours
		6.6 kW (onboard charger)	~17–20 miles	~3.5 hours	~1.5 hours

Source: California PEV Collaborative

<sup>1</sup> Adapted from the City of Riverside's *ELECTRIC VEHICLE (EV) CHARGER INSTALLATION GUIDELINES* and the City of Oceanside's *Residential Electric Vehicle Charger Guidelines*.

<sup>2</sup> <http://energycenter.org/sites/default/files/docs/nav/programs/pev-planning/san-diego/fact-sheets/Workplace%20Fact%20Sheet.pdf>

## What do I need to provide to the City in order to obtain a permit?

### Residential EVSE Permits

The following are submittal requirements to obtain a permit for the installation of a typical residential EVSE.

Supporting Documentation	Description
Plot Plan	Identify the complete layout of existing parking spaces and proposed location of EVSE parking space(s) with respect to existing building and structures.
Electrical Load Calculations	Home electrical load calculation that estimates if an existing electrical service will handle the extra load from a residential EVSE and wiring methods based on the California Electrical Code (See sample load calculation attached).
Electrical Plans	Single line diagrams showing the system, point of connection to the power supply and the EVSE. (See sample electrical plan attached)
EVSE Information	The EVSE manufacturer’s installation instructions and charger specifications.

***(Note: Jurisdictions may need to modify this list to reflect their specific requirements)***

In most cases, homeowners or contractors simply need to submit the documentation outlined above to the local permitting office (usually the building and safety division,) for review and permit issuance. PEV owners and contractors are encouraged to check their local jurisdiction’s permitting website to see if this process is available online. If not, they will likely need to visit the permitting office for an over-the-counter review and permit issuance.

If all of the information is provided and the proposal complies with the applicable codes, the review and approval process occurs shortly thereafter. It is important to note that load calculations per California Electrical Code, Article 220, are required if the existing service panel is rated less than 200 amps. Electrical panel upgrades and electrical wiring shall be in conformance with the current edition of the California Electrical Code (CEC).

### Commercial EVSE Permits

Installation of EVSE at commercial locations can be more complex than residential installations and may require additional permits or submittal documentation. The following are some additional considerations for commercial EVSE installations:

- ✓ Zoning Requirements
- ✓ Community or Design Guidelines
- ✓ Existing Use Permits
- ✓ Electrical Source / Metering
- ✓ Parking Requirements
- ✓ Permit and Inspection Fees

A simple commercial EVSE installation may have similar permitting requirements as a residential installation with the addition of a Tenant Improvement (TI) Electrical Permit. A more complex commercial installation may require a modification to an existing Use Permit or a Site Plan addressing specific community or zoning design criteria. It is important to meet with staff from the building and, if necessary, planning departments of the permitting jurisdiction to fully understand all of the necessary requirements and fees prior to permit/s are submitted.

## Do I need to get my charging station inspected by the City?

All jurisdictions in the San Diego region require an inspection of an installed EVSE. When the installation is complete, an inspection of the work is scheduled with the Building Inspector upon request. Generally, inspections occur less than one week after the request. Typically, the home or property owner (or tenant) will need to be present during the inspection so that the Inspector can access the location of the charging station and any other electrical or structural change. Please see the attached *EVSE Inspection Checklist*, which has been designed to serve as a guide for local Building Inspectors and has been endorsed by the National Electrical Contractors Association. A residential checklist being used in the cities of Oceanside and San Diego is also included.

## How do I install a charging station?

### Residential Installations

Installing a residential EVSE may require changes to the home’s electrical wiring and utility electricity rates.

- For a step-by-step installation guideline, please view the attached *Plug-in and Get Ready* document. For more information on PEV charging stations currently available on the market, visit [www.GoElectricDrive.com](http://www.GoElectricDrive.com).

### Commercial Installations

Commercial EVSE installations are often location and use specific. It is advisable to consult the permitting and/or planning agency before breaking ground.


When installing a home or commercial charging station, property owners are encouraged to choose a local electrical contractor with the proper expertise, information, tools and training for installing EVSE to ensure a high quality and efficient installation experience. Please reference the wiring methods based on the California Electrical Code attached.

## Why would SDG&E need to know about your charging station?

SDG&E needs to be able to accurately track the number of PEV charging stations installed to properly plan for local increases in electricity demand due to PEV charging. The combined effect of several chargers in the same area could result in overloads on utility secondary wires and transformers. Therefore, utility notification is an important component of providing safe, reliable electricity to all SDG&E customers.

SDG&E can help businesses understand pricing options for employees. They also help businesses identify potential EVSE rebates and incentives.

SDG&E’s Clean Transportation Program has created the figure below that displays the significant load difference of a residential EVSE as compared with typical household appliances. According to SDG&E, a PEV charging at 9.6kW may double or triple a household’s prior peak load. Additionally, PEV owners who notify SDG&E of a residential EVSE installation will be informed of SDG&E’s PEV time-of-use rates (EV TOU). These rates provide a significantly lower cost of electricity for PEV owners that charge during the night, when demand is lower.



Source: San Diego Gas and Electric

Visit SDG&E’s website for more information about their Electric Vehicle Programs:  
<http://www.sdge.com/electric-vehicles>



June 6, 2013

File Number 3200800

Ken Alex, Director  
Governor's Office of Planning and Research  
1400 10th Street  
P.O. Box 3044  
Sacramento, CA 95812-3044  
ZEVfeedback@opr.ca.gov

SUBJECT: San Diego REVI Comments on the *Plug-In Electric Vehicles: Universal Charging Access Guidelines and Best Practices*

Dear Director Alex:

The San Diego Regional Electric Vehicle Infrastructure Working Group (REVI) is pleased to submit these comments regarding Plug-In Electric Vehicles (PEV): Universal Charging Access Guidelines and Best Practices (Guidelines) prepared by the Governor's Office of Planning and Research (OPR) and the Division of the State Architect (DSA). The REVI serves as the San Diego region's PEV Coordinating Council (PEVCC) and is developing a regional PEV readiness plan through California Energy Commission and San Diego Association of Governments (SANDAG) funding. Our member list is included as Attachment 1. The REVI is glad that OPR and DSA are updating the DSA 97-03 interim guidelines, and we appreciate the opportunity to provide comments for your consideration (Attachment 2).

The San Diego region has been at the forefront of PEV deployment and REVI members have experience addressing accessibility for electric vehicle (EV) charging station installations, particularly through the EV Project. In April 2012, the City of San Diego issued *Technical Policy 11B-1 on Accessibility to Electrical Vehicle Charging Stations (CSD-TP11B-1)* to address the uncertainty faced by charging station hosts and suppliers regarding accessibility (Attachment 3). Local jurisdictions have been using CSD-TP11B-1 as a best practice since its release, and it has enabled a significant increase in PEV charger installations.

The primary recommendation in our comments is to add flexibility to the ADVISORY for EVG-250.1 by making it consistent with CSD-TP11B-1 and allowing accessible EV charging stations at existing accessible parking spaces. Some REVI members went as far as suggesting that OPR replace its Guidelines with the City of San Diego's. The Guidelines state that accessible EV charging stations are not to be reserved exclusively for the use of persons with disabilities. The City's CSD-TP11B-1 allows for accessible EV chargers at existing accessible parking spaces with limitations. This flexibility has facilitated EV charging station installations at existing facilities that would otherwise not be able to accommodate an accessible EV charging station due to their mandated parking requirements. We provide more explanation for this, as well as other suggestions, in our attached comments.

Thank you for your consideration in developing these Guidelines. If you have any questions, please contact me at SANDAG, 401 B Street, Suite 800, San Diego, CA 92101; (619) 699-7387; or [Susan.Freedman@sandag.org](mailto:Susan.Freedman@sandag.org).

Sincerely,

A handwritten signature in black ink, appearing to read "Susan Freedman". The signature is fluid and cursive, with a large loop at the end.

SUSAN FREEDMAN, CHAIR  
San Diego Regional Electric Vehicle Infrastructure Working Group (REVI)

Attachments

1. San Diego REVI Member List
2. REVI Comments and Recommendations on Draft Guidelines
3. City of San Diego Technical Policy 11B-1: Accessibility to Electrical Vehicle Charging Stations

**SAN DIEGO REGIONAL ELECTRIC VEHICLE INFRASTRUCTURE WORKING GROUP**

REPRESENTATION	MEMBER	ALTERNATE
South County Subregion	Brendan Reed City of Chula Vista	Chris Helmer City of Imperial Beach
North County Coastal Subregion	Ramsey Helson City of Del Mar	Mike Grim City of Carlsbad
North County Inland Subregion	Kathy Winn City of Escondido	Vacant
East County Subregion	Kathy Valverde City of Santee	Scott Munzenmaier City of La Mesa
City of San Diego	Jacques Chirazi	Vacant
County of San Diego	Peter Livingston	Susan Freed
San Diego Association of Governments	Susan Freedman, Chair	Allison King
San Diego Regional Airport Authority	Paul Manasjan	Brett Caldwell
Caltans, District 11	Chris Schmidt	Vacant
Unified Port District of San Diego	Michelle White	Jenny Lybeck
San Diego Gas & Electric	Joel Pointon	Randy Shimka
California Center for Sustainable Energy	Mike Ferry, Vice Chair	Colin Santulli
University of California, San Diego	Dave Weil	Jim Ruby
Miramar College, Advanced Transportation Technology and Energy	Greg Newhouse	Vacant
San Diego Electric Vehicle Network	Randy Walsh	Vacant
National Electrical Contractors Association	Karen Prescott	Tim Dudek
International Brotherhood of Electrical Workers Local 569	Micah Mitrosky	Vacant
ADVISORY MEMBERS		
San Diego Air Pollution Control District	Mike Watt	Nick Cormier
Department of Defense	Chris Parry, US Navy	
Metropolitan Transit System	Claire Spielberg	
City of Coronado	Bill Cecil	
City of Encinitas	Diane Langager	
City of National City	Ray Pe	
City of Solana Beach	Dan King	
City of Vista	Lyn Dedmon	
Ecotality	Andy Hoskinson	
Car2go	Mike Cully	
Aerovironment	Charlie Botsford	
Coulomb Technologies	Colleen Quinn	
General Electric	David Wang	



**SAN DIEGO REVI COMMENTS AND RECOMMENDATIONS ON OPR'S AND DSA'S  
PLUG-IN ELECTRIC VEHICLES: UNIVERSAL CHARGING ACCESS GUIDELINES AND BEST PRACTICES**

**General Comments:**

1. Recommended changes to specific language in the draft guidelines are provided here in BOLD RED. Removal of language is shown in STRIKETHROUGH.
2. The guidelines component and regulations component of the document should use consistent terminology and definitions.
3. Revise all existing parking stall figures to show the preferred location of the electric vehicle charging station and cord. Refer to the figures in City of San Diego's Technical Policy 11B-1: Accessibility to Electric Vehicle Charging Stations for clear examples. (Attached to these comments.)
4. Replace references to the 2013 California Building Code with "current edition of the California Building Code" where applicable.
5. Include definitions for all uses of the term "maximum extent feasible" and "available right-of-way."

**Comment 1: Alter ADVISORY EVG-250.1 to offer more flexibility at existing sites.**

***Explanation***

The City of San Diego Technical Policy 11B-1 (CSD-TP11B-1) allows for use of existing ADA spaces for EV charging. In this case, the space remains ADA first and EVSE second. Non PEV users of ADA spaces are encouraged, but not required, to park in other ADA spaces before taking an ADA space that also has access to an EV charger. CSD-TP11B-1 was created to address actual experiences faced by businesses and agencies interested in hosting EVSE at their sites, but were unable due to how the EVSE impacted their parking requirements (counts of stalls, etc.). Prior to this technical policy, the EV Project experienced uncertainty and hosts backing out of the project because the addition of EVSE could not be reconciled with mandatory parking requirements.

OPR is encouraged to allow for flexibility here, to answer challenges in finding locations for accessible EV charging stations. Less ideal options, other than using an existing ADA parking space at existing sites and locations, include:

1. Convert an existing ADA parking space to an accessible EV charging space, and remove signage and coloring for ADA parking. (This is not a likely solution as most parking lots cannot remove an ADA parking space without consequences due to number counts of parking spaces.)
2. Convert a standard parking space into an accessible EV charging space. (This is a challenging solution as many parking lots adhere to the exact number of parking spaces they are required to provide. They do not have an excess number of spaces to enlarge a standard parking space and thus take away a second parking space.)
3. Place an EV charger between an ADA parking space and a standard space to allow access by either a person with disabilities or a vehicle without the ADA placard. (This can be a solution in

some locations (including the parking structure at SANDAG’s office building); however, many large stores have the ADA parking spaces clustered together near the front of the building, so an adjacent standard space is not always available.)

***Recommended Revision to ADVISORY: EVG-250-1***

ADVISORY: EVG-250.1 General. While there is no positive requirement to provide electric vehicle charging stations, when they are provided a portion of them should be accessible. When co-located with parking spaces, electric vehicle charging is considered the primary function of these ~~stations~~ **spaces**, not parking. **For new construction, electric vehicle charging when co-located with parking spaces is considered the primary function of these stations, not parking. Accessible electric vehicle charging stations are not to be reserved exclusively for the use of persons with disabilities. They should not be identified with signage that would mistakenly indicate their use is only for vehicles with placards or license plates for individuals with disabilities. For installations at existing sites and locations, existing ADA spaces can also be used as electric vehicle charging stations if the site or location would fall out of compliance with its required parking counts by reconfiguring parking stall(s) into an accessible electric vehicle charging station. In this case, the space remains ADA first and an electric vehicle charging station second. Users of ADA spaces are encouraged, but not required, to park in other ADA spaces before utilizing an ADA space that provides access to an electric vehicle charging station. The space must continue to be identified with ADA signage.**

**Comment 2: We support inclusion of a “programmatic” option in EVG-250.5.2 to address the difficulty in siting on-street electric vehicle charging, and the scope of a programmatic option should be determined at the local level.**

***Explanation***

- The interpretation of “programmatic basis” should be left to the discretion of the public entity because in some cases it could refer to just a few blocks, a neighborhood or an entire city.
- Include a definition for “maximum extent feasible.”

***Recommended Revision to ADVISORY: EVG-250.5.2***

The required total number of electric vehicle charging stations complying with EVG-250.2 and EVG-250.3 may be provided on a combined basis using both on-site locations **owned or controlled by a state or local governmental jurisdiction** and on-street locations within a public right-of-way owned or controlled by a state or local governmental jurisdiction. On-street electric vehicle charging stations within the public right of way shall be integrated with on street parking to the maximum extent feasible. **Maximum extent feasible is defined as \_\_\_\_\_.**

**Comment 3: Provide clarification to EVG-250.6 to denote the purpose as Path of Travel and defining “cost of compliance” and “path of travel” using the definitions provided in 2013 CBC 11B-202.4 (pages 17-19 of OPR draft).**

***Explanation***

The narrative, EXCEPTION, and ADVISORY are difficult to comprehend at times and should be written clearer.

***Recommended changes:***

1. Revise the opening narrative to read, “**Path of travel provisions for alterations at existing facilities** solely for the purpose of installing electric vehicle charging stations shall be limited to the actual scope of work of the project and shall not be required to comply with section 11B-202.4 of the current edition of the California Building Code.”
2. Revise the EXCEPTION to read, “**EXCEPTION:** Alterations solely for the purpose of installing EV charging stations at sites where vehicle parking or storage is the sole and primary use of the facility shall comply with the current edition of the California Building Code section 11B-202.4 Path of Travel Requirements in Alterations, Additions and Structural Repairs to the maximum extent feasible. The cost of compliance with 11B-202.4 shall be limited to twenty percent of the **adjusted construction costs** of the work directly associated with the installation of the electric vehicle charging equipment. **For the purposes of this exception, the adjusted construction costs of alterations, structural repairs or additions shall not include the cost of alterations to path of travel elements required to comply with 11B-202.4.**

**Adjusted construction costs are determined on a three-year period. If an area has been altered without providing an accessible path of travel to that area, and subsequent alterations of that area or a different area on the same path of travel are undertaken within three years of the original alteration, the total cost of alterations to the areas on that path of travel during the preceding three-year period shall be considered in determining whether the cost of making that path of travel accessible is disproportionate.**

3. Omit the last sentence of ADVISORY EVG-250.6 (page 8): “~~For projects with basic costs above the CBC valuation threshold of \$139,964, the cost above which path of travel alterations would become disproportionate has been aligned with the federal requirements of twenty percent (20%).~~” It creates unnecessary confusion regarding projects valued under \$139,964.

**Comment 4: For EVG-812.3, insert language stating that an access aisle shared between an accessible parking space and an EV charging station that enables use of the EV charger from the accessible space can be counted as an accessible EV charger as long as the EV charger's cord does not impede the accessible path of travel. Include figures to identify where the electric vehicle charging station and its cord should be located in this situation.**

***Explanation***

Placing an EV charger between an ADA parking space and a standard space allows access by either a person with disabilities or a vehicle without the ADA placard. This set-up offers flexibility for utilization of the EV charging station. The City of San Diego Technical Policy 11B-1 allows for this.



THE CITY OF SAN DIEGO

Development Services

Division of Building, Construction & Safety

# Technical Policy 11B-1

**Subject: Accessibility to Electrical Vehicle Charging Stations**

**Code Section: N/A**

**Code Edition: 2010 California Building Code**

**Issue Date: April 19, 2012**

**Approved by: \_\_\_\_\_ Signed copy on file**  
**Afsaneh Ahmadi, Chief Building Official P.E.**

The 2010 California Building Code (CBC) requires public accommodations and services to be made accessible to persons with disabilities. The 2010 CBC includes accessibility standards for card readers at gasoline fuel-dispensing facilities but does not include regulations for accessibility at electric vehicle (EV) charging stations. The Division of the State Architect has developed a guideline titled “Interim Disabled Access Guidelines for Electrical Vehicle Charging Stations” and published Policy #97-03 (see copy attached). City of San Diego Technical Policy 11B-1 has been adapted from the State guidelines and State standards for access to card-reader devices at fuel-dispensing equipment to ensure uniform and consistent enforcement by review and inspection staff.

When the CBC requires that parking in existing or new construction be accessible, the required parking is designed to serve the building and shall be used exclusively for parking of appropriately identified vehicles. Accessible EV charging stations provide a service available to disabled and non-disabled persons using electric vehicles and are provided based on an availability basis.

This policy applies to the installation of EV Charging Stations in both new and existing construction.

EV charging stations located in non-public areas and used to charge vehicles managed by fleet services such as rental car agencies, EV car dealerships etc. are not required to be accessible since they do not serve persons with disabilities.

## **I. Where Required:**

1. **New Construction.** When provided in conjunction with new buildings or parking facilities such as surface parking lots or parking garages, the accessible EV charging station(s) must be located in close proximity (DSA recommends within 200 ft) to a major facility, public way or a major path of travel on the site.

Accessible EV charging stations not provided in conjunction with accessible parking spaces need not be provided immediately adjacent to the major facilities on the site since the primary purpose of the stations is to provide the charging as a service, parking is not intended to be the primary use of the EV charging stations.

An accessible path of travel is required from the accessible EV charging station to other services provided at the site such as buildings, parking facilities, etc.

2. **Existing sites.** When provided at existing sites, the accessible charging station need not be located in close proximity to other services at the site.

An accessible path of travel connecting the accessible EV charging station to a major facility, public way or major path of travel on the site is required to the extent that the cost of providing such path does not exceed 20% of the cost of the EV equipment and installation of all EV charging stations at the site over a three-year period, when such valuation does not exceed the threshold amount referenced in CBC Section 1134, Exception 1.

In lieu of providing detailed information on the plans to demonstrate compliance with the CBC accessibility requirements for the existing parking and path of travel, the following two notes can be added to the plan(s) to certify that the existing facilities complies with the CBC. The notes shall be as follows.

- a. Add and sign the following certification note "I am the designer/owner in responsible charge of this EV charging station project; I have inspected the proposed location for the proposed accessible EV charging station and have determined that the accessible route of travel to the EV charging station shown on the site plan complies as an accessible route of travel as is required by the California Building Code. Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_  
Date: \_\_\_\_\_"; and

- b. "If the Building Inspector determines noncompliance with the above statement he/she shall require complete, detailed plans clearly showing all existing non-complying conditions and the proposed modifications to meet current accessibility provisions for the parking space and accessible route of travel to the EV charging station to the extent required by the California Building Code. The revised plans must be resubmitted to the Structural review section for approval."

**Accessible EV charging stations in existing accessible parking spaces:** When the CBC requires that parking in existing or new parking facilities be accessible, the required parking is designed to serve the building and shall be used exclusively for parking of appropriately identified vehicles. Accessible EV charging stations provide a service available to disabled and non-disabled persons using electric vehicles and are provided based on an availability basis.

When a new accessible EV charging station is installed in an existing accessible parking space, not less than one additional EV charging station shall be provided.

Not more than one accessible EV charging station shall be located in an existing accessible parking space unless more than one accessible EV charging station is required.



When more than one accessible EV charging station is required and are placed in existing accessible parking spaces, the EV charging stations shall be reasonably distributed throughout the parking lot or parking structure.

When an EV charging station is placed in conjunction with an existing accessible parking space the identification sign required in subsection (d) below shall be omitted.

## II. **Specifications for Disabled Accessible EV Charging Stations:**

Vehicular spaces provided for accessible EV charging stations shall allow for persons with disabilities to exit an electric vehicle, to access the charging unit and place the charging cable on the vehicle. While the space designated for the accessible EV charging station is not required to be striped and identified as is required for accessible parking spaces, the space shall be designed to comply with the following requirements.

- (a) **Number of Accessible EV Charging Stations Required:** Not less than one EV charging station shall be accessible to persons with disabilities.

When the number of EV charging stations proposed exceeds 25, they shall be provided at a rate of one accessible EV charging station for every 25 stations proposed. Not more than a total of 4 accessible EV charging stations is required on the same site.

- (b) **Dimensions for Accessible EV Charging Stations:** The EV charging station shall include a space to place the electric vehicle that is not less than 9 foot wide by 18 feet deep to accommodate the vehicle. The space shall also include a 5 ft wide access aisle that extends the full depth of the vehicular space and located on the passenger side of the vehicle. Alternatively, the access aisle can be located between an accessible parking space and an accessible EV charging station. See figures 1, 2 and 3 for possible configurations.

- (c) **Identification for Accessible EV Charging Stations:**

The accessible EV charging station shall be identified.



- (i) The accessible EV charging station and its access aisle need not be striped or provided with signage as required for an accessible parking space.
- (ii) When an EV charging unit is installed in an existing accessible parking space, the signage at the accessible parking space shall remain in conformance with the requirements of the CBC.
- (iii) To identify an accessible EV charging station an informational sign must be posted which reads, "Parking for EV Charging Only; This Space Designed for Disabled Access; Use Last." When an EV charging station is placed in conjunction with an accessible parking space this sign shall be omitted.




(d) **Disabled Access to Accessible EV Charging Equipment:**

Charging equipment serving accessible EV charging stations shall be accessible.

- (i) The charging equipment, and when applicable card readers, must meet all applicable reach range provisions of CBC Section 1118B and Ch 11C for a 30 by 48 inch wheelchair space used for side or front approach.
- (ii) A clear path of travel measuring not less than 36 inches in clear width shall be provided to access the charging equipment.





**Interim Disabled Access Guidelines for Electrical Vehicle Charging Stations**

**97-03**

Effective 4-30-97  
Revised 6-5-97

This policy is applicable to projects under DSA jurisdiction only. DSA's Access Compliance jurisdiction encompasses state-funded buildings, facilities and universities, as well as publicly-funded elementary schools, secondary schools, and community colleges. Local jurisdictions may or may not adopt similar methods of administering current code requirements, determining equivalent facilitation, or defining acceptable parameters as necessary in enforcing the existing California Building Standards Code as allowed under Government Code Section 4451(f)] of the California Code of Regulations.

**Issue:** In state funded projects with electrical vehicle, charging stations must be accessible. Electric Vehicles are being slowly introduced to the consumer market over the next three years as a result of an agreement between auto makers and the State of California. The zero emission vehicles as well as the equipment to charge them are continuing to develop and change at a rapid pace. Yet to successfully serve new electric vehicle customers, public charging is essential. Public charging sites that are developed now are likely to see significant technology changes before electric vehicles are fully commercialized. Based on a rule adopted by the California Air Resources Board, beginning in 2003, 10% of vehicles sold in California must be zero emission.

Public charging stations will be installed in public places such as shopping centers, parking lots and garages of companies or municipalities. They are provided as a convenient charging location for Electric Vehicle owners while they work or shop. Full charging of an Electric Vehicle takes between two to three hours.

**Resolution:** Representatives of the Division of State Architect, California Electric Transportation Coalition, Edison EV, The California Building Officials, Department of Rehabilitation and members of the disabled community have held meetings for the purpose of developing interim guidelines to address the issue of disabled access to these charging stations. The following guidelines have been developed and agreed upon by these organizations:

**ARE EV CHARGING STATIONS REQUIRED TO BE ACCESSIBLE?**

Yes. EV Charging Stations are required to be accessible because they offer a service to the general public. When EV charging is coupled with regular parking, the EV charging is considered the primary service. (See Item V for further discussions.)

**WHAT PERCENTAGE OF THE EV CHARGING STATIONS MUST BE MADE ACCESSIBLE?**

The following table shall be used in determining the required number of accessible charging stations:

# of charging stations provided at a site	# of accessible charging stations required
1 to 25	1
50	2
51 to 75	3

**WHAT PERCENTAGE OF THE EV CHARGING STATIONS MUST BE MADE ACCESSIBLE?**

The following table shall be used in determining the required number of accessible charging stations:

# of charging stations provided at a site	# of accessible charging stations required
76 to 100	4

**WHAT SPECIFICATIONS MUST THE ACCESSIBLE EV CHARGING STATION COMPLY WITH?**

- a. A 9 foot wide space by 18 feet deep space is required. An access aisle of 5 feet on the passenger side is required. One in every eight accessible charging stations, but not less than one, shall be van accessible with a 8 foot access aisle.
- b. The accessible EV charging station and its access aisle need not be striped or provided with signage as required for an accessible parking space. An information sign must be posted which reads, "Parking for EV Charging Only; This Space Designed for Disabled Access; Use Last."

**MUST ACCESSIBLE EV CHARGING STATIONS BE RESERVED EXCLUSIVELY FOR THE USE OF PERSONS WITH DISABILITIES?**

No. The primary function of these stations is the charging of Electric Vehicles. Parking is not intended to be the primary use of the charging station.

**ARE THERE ANY RESTRICTIONS RELATIVE TO THE LOCATION OF THE ACCESSIBLE EV CHARGING STATIONS?**

For installations associated with new construction, the accessible charging station must be located in close proximity to a major facility, public way or a major path of travel on the site. Note: 200 feet is the maximum distance recommended. However, the charging stations need not be provided immediately adjacent to the major facilities since, again, the primary purpose of the stations is to provide the charging as a service, and parking is not intended to be the primary use of the stations.

For installations at existing sites, the accessible charging station need not be located in close proximity to other services at the site.

**IS AN ACCESSIBLE PATH OF TRAVEL REQUIRED FROM THE ACCESSIBLE EV CHARGING STATION TO OTHER SERVICES PROVIDED AT THE SITE?**

Yes, for installations associated with new construction. As for other facilities on the site, an accessible path of travel is required between facilities.  
 For installation at an existing site, an accessible path of travel is required to the extent that the cost of providing such path does not exceed 20% of the cost of the EV equipment and installation of all EV charging stations at the site, when such valuation does not exceed the threshold amount referenced in Exception 1 of Section 1134 of Title 24. The accessible path of travel shall connect to a major facility, public way or major path of travel on the site.

**WHAT SPECIFICATIONS MUST THE CHARGING EQUIPMENT MEET?**

The charging equipment must meet all applicable reach range provisions of Section 1118B of Title 24. A clear path of travel measuring 36 inches in clear width to the charging equipment is required.

**DOES THE INSTALLATION OF CHARGING STATIONS AT AN EXISTING SITE TRIGGER PATH OF TRAVEL IMPROVEMENTS SUCH AS PRIMARY ENTRANCE TO OTHER FACILITIES, RESTROOMS, TELEPHONES, OR DRINKING FOUNTAINS?**

No, unless the above features are located in the parking lot, are accessed directly from the parking lot and designed for use with the parking lot.

**HOW DOES THE THREE-YEAR VALUATION ACCUMULATION APPLY TO THESE INSTALLATIONS?**

The valuation of other improvements at the site over the last three years need not be added to the cost of the installation to determine application of the exception referenced in item VI above. The cost of installation of other EV charging stations at the site over a three-year period must be used in determining compliance with the exception.

Approving Authority:



Michael J. Mankin, AIA  
Manager, Access Compliance Program





## **REQUEST FOR PROPOSAL (RFP) TEMPLATE:**

### ***Installation and Operation of Electric Vehicle Charging Stations***

The following is a Request for Proposal (RFP) template that provides recommended headings and proposal language to assist in the issuance of an RFP for Electric Vehicle Charging Stations. In the outline, a brief summary is provided for each heading and this information can and should be customized for each individual RFP.

**Disclosure:** *Proposals shall be kept confidential until a contract is awarded. The <insert jurisdiction> reserves the right to request clarification of any proposal term from prospective suppliers. Selected supplier(s) will be notified in writing. Any award is contingent upon the successful negotiation of final contract terms. Negotiations shall be confidential and not subject to disclosure to competing suppliers unless and until an agreement is reached. If contract negotiations cannot be concluded successfully, the <insert jurisdiction> reserves the right to negotiate a contract with another supplier or withdraw the RFP. Any contract resulting from this RFP shall not be effective unless and until approved by the <insert jurisdiction Council>.*

#### **1. Overview of the Project**

Requesting proposals from suppliers to fully fund, design, install, operate, maintain, market, and potentially remove electrical vehicle (EV) charging stations, also known as Electric Vehicle Supply Equipment (EVSE), on publically-owned property for public use. This work will also include assisting the jurisdiction in identifying ideal site locations for the EVSE installations.

#### **2. Acronyms/Definitions**

A glossary of the necessary acronyms and definitions used throughout the RFP (e.g. “Supplier” – Organization/individual submitting a proposal in response to this RFP)

EVSE – Electric Vehicle Supply Equipment

#### **3. Scope of Project**

The Scope of the Project is as follows:

- Provide attractive and well-maintained EVSE.
- Cover all costs associated with installation, maintenance, and electricity for the EVSE. The supplier may establish a service charge and method of payment collection to recoup these costs as well as any operating profit from EVSE users.
- Provide proper EV parking signage and reconfiguration of any parking stalls for EV parking.
- Market the project as well as provide product advertisement.
- Offer options for EVSE when the agreement expires (e.g. charging unit removal, transfer of ownership, contract renewal options).

SAN DIEGO REGIONAL PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX C

- o The <insert jurisdiction> to provide the required parking spaces to accommodate the EVSE within the parking facilities at no cost to the supplier.

**4. Additional Considerations**

- A. The supplier must agree to insurance and liability requirements (scope and coverages) set by the jurisdiction and state such in its proposal.

<Jurisdiction to insert summary of applicable insurance and liability requirements here and/or can attach full description to end of this template.>

- B. <Jurisdiction can add any additional considerations here. For example, if City offers/restricts use of advertisements on or around EVSE.>

**5. Submittal Instructions**

For questions regarding this RFP, submit all inquiries via email to <insert email address> by <insert due date>. Responses to the questions will be posted <insert where responses will be made available> no later than <insert date>. All proposers are recommended to visit the above mentioned <insert jurisdiction> website on a regular basis as responses will be posted when available.

***Proposal Evaluation Process Timeline***

<b><u>TASK:</u></b>	<b><u>DATE/TIME:</u></b>
Deadline for submitting questions	<Insert date>
Answers to all questions submitted	<Insert date>
Pre-Submission conference/meeting	<Insert date>
Deadline for submission of proposals	<Insert date>
Evaluation period	<Insert date>
Selection of supplier	<Insert date>

**MANDATORY SITE VISITS**

Site visits are scheduled as follows for potential EVSE suppliers to gather data and further assess proposed sites. The dates and times identified will be the only opportunity to view the proposed sites. Failure to attend the mandatory site visits will result in automatic disqualification with no further consideration for award.

<u>PROPOSED SITE</u>	<u>DATE OF VISIT</u>	<u>TIME</u>	<u>CONTACT</u>
----------------------	----------------------	-------------	----------------

***NOTE: The dates above represent a tentative schedule of events. The <insert jurisdiction> reserves the right to modify these dates at any time, with appropriate notice to prospective suppliers.***

Suppliers shall submit one (1) original proposal marked “ORIGINAL” and four (4) identical copies to the following:

- <Insert Jurisdiction Name>
- <Insert Contact Name>

## SAN DIEGO REGIONAL PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX C

<Insert Address>

Proposals shall be clearly labeled in a sealed envelope or box as follows:

REQUEST FOR PROPOSAL NO.: <insert proposal number>

FOR: Electric Vehicle Charging Stations

**Disclosure:** *Proposals must be received by <insert date and time>. Proposals that do not arrive by the specified date and time WILL NOT BE ACCEPTED and will be returned unopened. Suppliers may submit their proposal any time prior to the above stated deadline. E-mail or fax submissions will not be accepted.*

*At its sole discretion, the <insert jurisdiction> may reject incomplete proposal submittals if, in its judgment, the submittal lacks information needed to effectively evaluate the proposal. Nothing in this request for qualifications implies a contractual obligation with any firm, nor will the <insert jurisdiction> reimburse costs for submittal preparation.*

### Proposal Format:

#### *Supplier Information:*

- The legal name of the supplier, address and telephone number.
- The structure of the organization (e.g., sole proprietorship, partnership, corporation, etc.) including state of formation.
- The name, address and telephone number of the person to whom correspondence should be directed.
- The year the company was established as currently being operated.
- A certified financial statement, including, but not limited to a Dun and Bradstreet rating.

#### *Supplier Background & Work Experience:*

- A list of all communities within the San Diego Gas & Electric (SDG&E) service territory in which the supplier has provided and maintained publicly-available EVSE during the last five years, if applicable. Please list communities with active EVSE and communities where EVSE have been removed. Also include the following information for each community:
  - Name of the organization that contracted with you for EVSE sites. Please include the name of a contact person and phone number.
  - Was the contract/franchise exclusive or nonexclusive?
  - Number of EVSE provided.
  - Time period that the EVSE were installed.
  - Reporting sales & usage (sample reports)
- A list with additional California communities, and/or communities in United States in which the supplier has provided and maintained publicly-available EVSE during the last five years, if applicable. Include all of the information identified in the previous bullet.
- Please list any public agencies that have chosen to cancel or not renew EVSE contracts with your firm during the last five years. Show names of organizations and names and phone numbers of persons who can be contacted.
- Provide qualifications of the local contractors that will perform the EVSE installations. Demonstrate that the supplier is working with C-10 licensed electrical contractors employing California state-certified electricians to handle EVSE installations and maintenance.

## SAN DIEGO REGIONAL PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX C

- List any EVSE-specific trainings or certifications that the supplier's electrical contractor and/or the contractor's electricians have completed, if applicable (e.g. The Electric Vehicle Infrastructure Training Program (EVITP) or UL training).
- Include the number of EVSE installations completed to date by the supplier's electrical contractor and/or the contractor's electricians.
- Demonstrate an understanding of <insert jurisdiction> processes, required permits, permit costs, licenses, applicable state and local codes specific to EVSE and procedures for this type of project.

### *Scope of Work:*

- A written and pictorial description of the proposed EVSE design, including:
  - Comprehensive specifications (including make, manufacturer, & model numbers of equipment).
  - Delivery and proposed installation schedule.
  - The submission of more than one type of charging station is permitted, however, if the selection of any particular design would result in a change to the proposed rate structure and method of collection, those changes must be noted.
- Metering configurations identifying how the supplier will provide the electricity to the EVSE end consumer at no cost to the jurisdiction.
  - Process and schedule for reimbursement to the jurisdiction for cost recovery of electricity provided to EVSE (if applicable).
- Proposed EVSE end consumer rate structure (e.g. charging customers per kWh usage or plug time) and customer method of payment (e.g. credit card reader for universal usage or restricted access for only network users).
- Description of the proposed EVSE maintenance program including the location of maintenance facilities, number of staff that will be available for maintenance, and anticipated response times.
- Description of ability and staff expertise to provide services including marketing, installation, monitoring, and maintenance of EVSE.
  - Quality control/safety features.
  - Marketing plan details and available resources.
- Financial incentives to the <insert jurisdiction> (if applicable).
- Options for EVSE when the agreement expires (e.g. charging unit removal, transfer of ownership, contract renewal options) and responsible party for any costs incurred (if applicable). Highly preferred that the supplier cover any removal costs.

### *Additional Items:*

- The proposal must be signed by the individual(s) legally authorized to bind the supplier.
- If complete responses cannot be provided without referencing supporting documentation, such documentation must be provided with the proposal and specific references made to the tab, page, section and/or paragraph where the supplemental information can be found.

## **6. Proposal Evaluation & Award Process**

Proposals will be evaluated based on the following criteria (please reference attached *RFP Criteria Review Template*):

- Current and past supplier performance in similar contracts with other agencies.

## SAN DIEGO REGIONAL PLUG-IN ELECTRIC VEHICLE (PEV) READINESS PLAN: APPENDIX C

- Financial stability of the proposer as reflected in a certified financial statement or other certified statement, including but not limited to a Dun and Bradstreet financial rating.
- EV customer rate structure and method of customer payment that will be used to charge customers.
- Description of metering configuration.
- Process and schedule to reimburse the jurisdiction in order to recoup cost of electricity used to provide EVSE (if applicable).
- Maximum public benefit (i.e., in terms of affordability and customer support).
- Strength, quality, durability, advanced technology, future flexibility, and aesthetic appeal of proposed EVSE.
- Proposed maintenance, repair and replacement schedule including response times for malfunctioning EVSE (e.g. supplier's proximity to the <insert jurisdiction> and number of proposer's employees performing maintenance functions).
- Possible commitment to providing additional EVSE at other <insert jurisdiction> owned parking facilities (desirable but not required).
- Supplier's specific marketing strategy that includes product advertising.
  - EVSE installation marketing plan.
  - Description of the supplier's available marketing resources.
- Proposed options for EVSE (e.g. system removal, transfer of ownership, contract renewal options) when the agreement expires and potential costs to the jurisdiction.

*Suggestion for Jurisdiction: Create a scoring criterion that may include assignment of percentages and/or weighting each criterion listed above.*

### 7. Project Specifications

- Provide installation site plans (if applicable [for reference, please see Exhibit A of the City of Long Beach RFP No. PW12-016]).

### 8. Subcontractor Information and Business License

Does this proposal include the use of subcontractors?

Yes \_\_\_\_\_ No \_\_\_\_\_ Initials \_\_\_\_\_

If "Yes", supplier must:

- Identify specific subcontractors and the specific requirements of this RFP for which each proposed subcontractor will perform services.
- The <insert jurisdiction> requires that the awarded supplier provide proof of payment of any subcontractors used for this project. Proposals shall include a plan by which the <insert jurisdiction> will be notified of such payments.
- Primary contractor shall not allow any subcontractor to commence work until all insurance required of subcontractor is obtained.

### BUSINESS LICENSE

<Insert Jurisdiction> requires all businesses operating in the <insert jurisdiction> to pay a business license tax. In some cases the <insert jurisdiction> may require a regulatory permit and/or evidence of a State or Federal license. Prior to issuing a business license, certain business types will require the business license application and/or business location to be reviewed by the Development Services, Fire, Health, and/or Police Departments.

**9. Cost**

- N/A

**10. Terms, Conditions and Exceptions**

---

<**Insert** project specific terms, conditions and exceptions>

To view an example, please reference section 9 of the City of Long Beach RFP No. PW12-016.

<**Insert** individual public liability and insurance requirements for your agency>





# Plug-in Electric Vehicle Benefits



*Incentives available*

*Fun driving experience*

*Low fuel and maintenance costs*

*Minimal environmental impacts*

*Reduced dependence on oil*

*Different sizes and ranges  
to meet your needs*

**Learn more about the  
advantages of driving electric:**

[sdcleancities.org/ev](http://sdcleancities.org/ev)



**PLUG-IN.**




**SAVE MONEY. DRIVE ELECTRIC.**

# It matters *when* you charge your electric car.

San Diego Gas & Electric's electric vehicle (EV) rates will help you pay the lowest price for your EV fuel, when charging from midnight to 5 a.m.

Sign up for an EV time-of-use rate and program your car to charge when electric rates are at their lowest – during the **“off-peak”** and **“super off-peak”** hours.



Connect with SDG&E® first when purchasing an EV, by visiting: [sdge.com/ev](http://sdge.com/ev)



A  Sempra Energy utility™

SDG&E supports the adoption of EVs while ensuring safe and reliable service.

PLUG-IN.



SAVE MONEY. DRIVE ELECTRIC.

# California EV drivers qualify for *major incentives!*

## Clean Vehicle Rebate Project



### *State cash rebates of up to \$2,500! Qualifying is easy...*

- Purchase or lease a new eligible plug-in electric vehicle and register it in California
- Minimum 36 month lease term or ownership required
- Available to California residents, businesses and public entities

Funding based on availability and is first-come, first-served.

## Federal Tax Credit



### *Get money at tax time!*

Federal tax credits range from **\$2,500** to **\$7,500** based on battery capacity.

## DMV Clean Air Vehicle Sticker



EV drivers can use the carpool lane as a single occupant.

Learn more by visiting:  
[energycenter.org/ev](http://energycenter.org/ev)



California Environmental Protection Agency  
 **Air Resources Board**

PLUG-IN.



SAVE MONEY. DRIVE ELECTRIC.

# Planning for *EV charging* across San Diego

The San Diego Association of Governments (SANDAG) is the 18 cities and county government and serves as a forum for regional decision-making and the region's planning and transportation agency. [sandag.org/energy](http://sandag.org/energy)

SANDAG is helping to facilitate EV charging and to resolve barriers to EV charger installations through the San Diego Regional EV Infrastructure (REVI) Working Group:

## **Diverse Membership**

- Local governments and public agencies
- Public utility and private businesses
- Not-for-profits and educational partners

Learn more: [energycenter.org/pluginready](http://energycenter.org/pluginready)

## **A number of resources on EV charging are available, including**

- Department of Energy – Alternative Fueling Station Locator: [afd.energy.gov/locator/stations](http://afd.energy.gov/locator/stations)
- National Renewable Energy Laboratory, Vehicles & Fuels Research – EV vehicle and charging information: [nrel.gov/vehiclesandfuels](http://nrel.gov/vehiclesandfuels)
- California PEV Collaborative – A resource for statewide activities, tools, resources and information: [pevcollaborative.org](http://pevcollaborative.org)



PLUG-IN.



SAVE MONEY. DRIVE ELECTRIC.



## Your Guide to Plug-In and Get Ready\*






There are many different ways to charge your PEV. You can charge at public charging stations near your work or home, use the existing electrical outlets in your home (Level 1), or install a Level 2 charging station in your home.

Use this guide to help you decide if installing a Level 2 charging station in your home is the right choice for you and learn about the steps needed for Residential Electric Vehicle Supply Equipment (EVSE) installations. At this time, this guide is intended for use by single-family residences only. If you rent your home, be sure to discuss any home modifications with the property owner first and visit SDGE's website for more information.

**Level 1 (120 volt)** — PEVs come with a 120-volt charging cord that enables PEV owners to charge their PEV with any conventional 120-volt three-pronged outlet. While it takes longer to charge, Level 1 (L1) allows PEV drivers to plug in without the installation of a dedicated charging station.

**Level 2 (208 to 240 volt)** — This level of charging requires a charging station, also known as electric vehicle service equipment (EVSE), be purchased and installed and generally involves the installation of a dedicated circuit at either the PEV owner's home or where a public charging station is installed. Currently, Level 2 (L2) EVSE makes up the majority of public charging stations across California.

To learn more visit  
[www.energycenter.org/pluginready](http://www.energycenter.org/pluginready)

 <p>Will you be charging your PEV at home?</p> <p>YES</p>	 <p>Do you have a designated parking place for your PEV, like a garage or parking space with access to an electrical outlet?</p> <p>YES</p>	 <p>Do you want to take advantage of reduced rates from your utility provider (if available) or Level 2 charging?</p> <p>YES</p>	<p>WWW</p> <p>A typical process to install Level 2 EVSE in your home would include these steps:</p> <ul style="list-style-type: none"> <li>• Have a contractor check the electricity panel capacity and load balance</li> <li>• Contact your local utility provider to check rates and requirements (<a href="http://www.sdge.com/ev">www.sdge.com/ev</a>)</li> <li>• Get a permit from the City or County</li> <li>• Install the EVSE and submeters</li> <li>• Complete a building inspection</li> </ul> <p>Visit <a href="http://www.energycenter.org/pluginready">www.energycenter.org/pluginready</a> to learn more.</p>
<p>NO</p> <p>WWW</p> <p>Visit the AFDC website for a list of public charging locations where you can charge your PEV. Available at <a href="http://www.afdc.energy.gov/">http://www.afdc.energy.gov/</a></p> <p>PLUG-IN &amp; GET READY!</p>	<p>NO</p>  <p>To charge your PEV at home, start by contacting a C-10 licensed electrical contractor to discuss your needs. You can verify your electrical contractor is licensed by visiting <a href="http://CSLB.ca.gov">CSLB.ca.gov</a> or calling (800) 321-CSLB.**</p> <p>PLUG-IN &amp; GET READY!</p>	<p>NO</p>  <p>You can use an existing electrical outlet (120 VAC, 15/20 A) to charge your PEV.</p> <p>PLUG-IN &amp; GET READY!</p>	<p>PLUG-IN &amp; GET READY!</p>

\*Adapted from *Take Charge I: A First Step to PEV Readiness in the Sacramento Region*, a report from SACOG and the Capital Area PEV Coordinating Council on preparing the region for Plug-In Electric Vehicles

\*\* When the electrician arrives, be sure and ask to see a copy of their state certification.

## Electric Vehicle Charging for Regional Park-and-Ride Lots and Transit Stations

[NOTE: Any agency or company’s sustainability goal(s) could be placed here. This is SANDAG’s.]

The 2050 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS), adopted by SANDAG in October 2011, included the following actions to be implemented:

“Support planning and infrastructure development for alternative fueling stations and plug-in electric vehicle (EV) chargers.”

“Integrate alternative fuel considerations into the development of the regional transportation network by, for example, integrating infrastructure for electric vehicle charging into regional park-and-ride lots and transit stations.”

To achieve this, it is recommended that any time a park-and-ride or transit station parking lot/structure is newly constructed or undergoing renovation, that SANDAG/ Caltrans/ MTS/ NCTD:

1. **At a minimum, pre-wire parking facilities for EV charger capabilities during construction,**
2. **Seek opportunities to install plug-in electric vehicle chargers at these sites, and**
3. **Investigate additional sustainability options like high efficiency lighting, solar photovoltaic (PV) shading structures, and water-efficient irrigation systems.**

EV readiness can be achieved for the very low cost of pre-installed conduit, and properly sized electric panels. This can be very cheap for new construction or for anytime a parking lot is repaved, sidewalks moved or replaced, or structures renovated.

The following tables provide general “rules of thumb” pertaining to plug-in EV chargers (technically referred to as electric vehicle supply equipment or EVSE). Charging equipment is now available from a variety of vendors. Again, *the most optimal time to install charging at the lowest possible cost is during parking lot resurfacing or new construction.* Here are some resources for finding charging equipment:

- Plug-in America <http://www.pluginamerica.org/>
- Go Electric Drive <http://goelectricdrive.com/>

Charging Equipment (EVSE)	Typical user profile	Equipment cost <sup>1</sup> (avg. per unit)	Install cost <sup>2</sup> (avg. per unit)
Level 1	Parked for 6-8 hours	\$300-\$700	<\$1,000
Level 2	Parked for 2-4 hours	\$1,000- \$2,500	\$3,000-5,000
DC Fast Charge (DCQ)	Quick stop for 5-30 minutes	\$25,000-\$35,000	\$14,000-20,000

1. Equipment costs will be more for 2-4 ports and combination units.
2. Installation cost is for minimal trenching needs and no service upgrades. Costs increase for sites requiring trenching and/or electrical panel upgrades.

**Charging Basics**

There are three basic levels to charge plug-in electric vehicles. The vehicles from every manufacturer are equipped with standardized connectors. How long it takes to charge at each level depends on how far a car is driven and the size of the battery on board. Charging speed is governed by the size of the on-board charger and power level of the charging equipment.

<b>Charging Equipment (EVSE)</b>	<b>Power Supply</b>	<b>Charging Power</b>	<b>Miles of Range for 1 Hour of Charge</b>
<b>Level 1</b>	120 VAC (volts AC) Single Phase	1.4 kW at 12 amp (on-board charger)	3-4
	240 VAC Single Phase	3.3 kW (on-board)	8-10
<b>Level 2</b>	Up to 19.2 kW (up to 80 amps)	6.6 kW (on-board)	17-20
	<b>DC Fast Charge (DCQ)</b>	200-450 volts DC Up to 90 kW (~200 amps)	45 kW (off-board) 50-60

**For Assistance**

[Note: This section was written with SANDAG project managers in mind.]

For site specific installation information and power availability, contact Randy Schimka, San Diego Gas & Electric (SDG&E), [RSchimka@semprautilities.com](mailto:RSchimka@semprautilities.com), (858) 248-3515. SANDAG’s Energy Team can provide additional assistance related to other site considerations, standards, and RFP/RFQ language for EV chargers. Contact Susan Freedman, [susan.freedman@sandag.org](mailto:susan.freedman@sandag.org), (619) 699-7387.





## Resources

1. "Alternative Fuel Infrastructure Tax Credit," Alternative Fuels Data Center, <http://www.afdc.energy.gov/laws/law/US/10513>.
2. Krumm, John. *How People Use Their Vehicles: Statistics from the 2009 National Household Travel Survey*. SAE International (2012).
3. Snyder, Jason et al. *Financial Viability of Non-Residential Electric Vehicle Charging Stations*. UCLA Luskin Center for Innovation: 2012.
4. SANDAG. *Activity Centers in the San Diego Region*: August 2007. [http://www.sandag.org/uploads/publicationid/publicationid\\_1318\\_7233.pdf](http://www.sandag.org/uploads/publicationid/publicationid_1318_7233.pdf)
5. San Diego Regional Economic Development Center. *Welcome to San Diego: A Regional Overview*. <http://www.sdtechcareers.org/PDF/Welcome%20to%20SD%20a%20regional%20overview.pdf>
6. California Center for Sustainable Energy. *California Plug-in Electric Vehicle Owners Survey* (2012). [http://energycenter.org/sites/default/files/docs/nav/transportation/cvrp/survey-results/California\\_PEV\\_Owner\\_Survey\\_Report\\_0.pdf](http://energycenter.org/sites/default/files/docs/nav/transportation/cvrp/survey-results/California_PEV_Owner_Survey_Report_0.pdf).
7. Southern California Edison. *Charged Up: Southern California Edison's Key Learnings about Electric Vehicles, Customers, and Grid Reliability* (2013).
8. Kotkin, Joel. "The Best Cities for Tech Jobs," *Forbes*. 17 May 2012. <http://www.forbes.com/sites/joalkotkin/2012/05/17/the-best-cities-for-tech-jobs>.
9. SANDAG. *Traded Industry Clusters in the San Diego Region*: December 2012. [http://www.sandag.org/uploads/publicationid/publicationid\\_1715\\_15318.pdf](http://www.sandag.org/uploads/publicationid/publicationid_1715_15318.pdf)
10. State of California Employment Development Department. <http://www.edd.ca.gov>.
11. San Diego Regional Economic Development Council. <http://www.sdchamber.org>.
12. "2010 California Electrical Code", California Building Standards Commission. <http://rrdocs.nfpa.org/rrserver/browser?title=/NFPACA/CaliforniaElectricalCode2010>.
13. AB. 1092, Assembly Committee on Transportation, April 15, 2013. [http://www.leginfo.ca.gov/pub/13-14/bill/asm/ab\\_1051-1100/ab\\_1092\\_cfa\\_20130412\\_131630\\_asm\\_comm.html](http://www.leginfo.ca.gov/pub/13-14/bill/asm/ab_1051-1100/ab_1092_cfa_20130412_131630_asm_comm.html).
14. "15.04.040 California Electrical Code." City of Temecula. <http://www.qcode.us/codes/temecula>.
15. William, Brett et al. *Early Plug-in Electric Vehicle Sales: Trends, Forecasts, and Determinants*. UCLA Luskin Center for Innovation: 2012.

16. Zhang, Li, Tim Brown, & Scott Samulesen. *Evaluation of charging infrastructure requirements and operating costs for plug-in electric vehicles*. *Journal of Power Sources* 240 (2013) 515-524.

# Plug-in Electric Vehicles Building Codes Summary

## CALGreen

The CALGreen code sections relevant to electric vehicle charging infrastructure installation and referenced below can be found in the California Building Standards Commission 2012 Supplement:<sup>12</sup>

### EVSE Codes for Residential Buildings

The voluntary code calls for at least three percent of the total parking spaces, but not less than one, in low-rise multi-family dwellings be prepared to support electric vehicle charging infrastructure in the future. This entails installing any underground conduit that would be needed for future installations. Single/dual-family homes are suggested to install a raceway to accommodate a dedicated branch circuit.

#### ***A4.106.6.1 One-and two-family dwellings.***

Install a listed raceway to accommodate a dedicated branch circuit. The raceway shall not be less than trade size 1. The raceway shall be securely fastened at the main service or subpanel and shall terminate in close proximity to the proposed location of the charging system into a listed cabinet, box or enclosure. Raceways are required to be continuous at enclosed or concealed areas and spaces. A raceway may terminate in an attic or other approved location when it can be demonstrated that the area is accessible and no removal of materials is necessary to complete the final installation.

#### ***A4.106.6.2 Multifamily dwellings.***

At least 3 percent of the total parking spaces, but not less than one, shall be capable of supporting future electric vehicle supply equipment (EVSE).

##### ***A4.106.6.2.1 Single charging space required.***

When only a single charging space is required, install a listed raceway capable of accommodating a dedicated branch circuit. The raceway shall not be less than trade size 1. The raceway shall be securely fastened at the main service or subpanel and shall terminate in close proximity to the proposed location of the charging system into a listed cabinet, box or enclosure.

##### ***A4.106.6.2.2 Multiple charging spaces required.***

When multiple charging spaces are required, plans shall include the location(s) and type of the EVSE, raceway method(s), wiring schematics and electrical calculations to verify that the electrical system has sufficient capacity to simultaneously charge all the electrical vehicles at all designated EV charging spaces at their full rated amperage. Plan design shall be based upon Level 2 EVSE at its maximum operating ampacity. Only underground raceways and related underground equipment are required to be installed at the time of construction.

### EVSE Codes for Non-Residential Buildings

For non-residential development, it is mandatory to provide designated parking for low-emitting, fuel-efficient, and carpool/vanpool vehicles, including electric vehicles (A5.106.5.1). Voluntary standards identify designated parking spaces for 10 percent of parking spaces (Tier 1) or 12 percent (Tier 2).

# Plug-in Electric Vehicles Building Codes Summary

## **A5.106.5.3 Electric Vehicle Charging.**

Provide facilities meeting Section 406.7 (Electric Vehicle) of the California Building Code and as follows:

### *A5.106.5.3.1 Electric vehicle supply wiring.*

For each space required in [Table A5.106.5.3.1](#), provide panel capacity and dedicated conduit for one 208/240V 40 amp circuit terminating within 5 feet of the midline of each parking space.

Table A5.106.5.3.1

Total number of parking spaces	Number of required spaces
<b>1-50</b>	1
<b>51-200</b>	2
<b>201 and over</b>	4

Assembly Bill 1092<sup>13</sup>, if adopted, would mandate PEV-ready standards for multi-family residential and non-residential new buildings to take effect in January 2017. The bill would also adopt CALGreen electric vehicle voluntary codes as mandatory state standards.

## **Building Code Resources**

Many local jurisdictions in California have established mandatory building codes requiring conduit and wiring for EVSE to be installed during in the construction phase of a project. These policies enable communities to become more PEV-ready by removing the high construction costs from home and business owners. No jurisdiction in the San Diego region has yet to adopt building codes that require pre-wiring for EVSE. The following are examples from two southern California cities that have:

### **City of Los Angeles**

*Mandatory Green Building Code Standards for Newly Constructed Residential and Non-Residential EVSE:*

Low-rise residential building: Electric Vehicle Supply Wiring 99.04.106.6.

- 1) For one- or two- family dwellings and townhouses, provide a minimum of:
  - a. One 208/240 V 40 amp, grounded AC outlet, for each dwelling unit; or
  - b. Panel capacity and conduit for future installation of a 208/240 V 40 amp, grounded AC outlet, for each dwelling unit
- 2) Residential occupancies where there is a common parking area, provide:
  - a. Provide a minimum number of 208/240 V 40 amp, grounded AC outlet(s), that is equal to 5% of the total number of parking spaces. The outlet(s) shall be located in the parking area; or
  - b. Panel capacity and conduit for future installation of electrical outlets. The panel capacity and conduit size shall be designed to accommodate the future installation, and allow the simultaneous charging, or a minimum number of 208/240 V 40 amp, grounded AC

## Plug-in Electric Vehicles

# Building Codes Summary

outlets, that is equal to 5% of the total number of parking spaces. The conduit shall terminate within the parking area; or

- c. Additional service capacity, space for future meters, and conduit for future installation of electrical outlets. The service capacity and conduit size shall be designed to accommodate the future installation, and allow the simultaneous charging, or a minimum number of 208/240 V 40 amp, grounded AC outlets, that is equal to 5% of the total number of parking spaces. The conduit shall terminate within the parking area

### Non-residential and high-rise residential building: *Electric Vehicle Supply Wiring 99.05.106.5.2*

- 1) Provide a minimum number of 208/240 V 40 amp, grounded AC outlet(s), that is equal to 5% of the total number of parking spaces. The outlet(s) shall be located in the parking area

### **City of Temecula**

Circuits for electric vehicle charging stations shall meet all the requirements of California Electrical Code Article 62540. Residential garages shall have a minimum three quarter (3/4) inch metal flex conduit ran from meter box to the garage fire wall and terminated in a metal box at forty-two (42) inches above finished floor for future electric vehicle charging station.<sup>14</sup>

# TOWING ALTERNATIVE FUEL VEHICLES

Presented By: Greg Newhouse

Advanced Transportation Technology & Energy Program  
San Diego Miramar College

[gnewhous@sdccd.edu](mailto:gnewhous@sdccd.edu)



# Going Back to the Basics



*Electric car A. on P. bridge accident 1912*  
City of Toronto Archives, Fonds 1244, f1244\_it0063

#63





# **Presentation.....**

- **Why Alternative Fuels**
- **Major Alternative Fuel Vehicles**
- **Principal Issues for Roadside Assistance**
- **Resources**
- **Vehicle Review**

# Benefits and Considerations

## Public Health and Environment

- Lower greenhouse gas (GHG) emissions
- Lower particulate pollution
- Lower carcinogens



## Energy Security

- Plentiful in U.S.
- Existing infrastructure

## Driving Range

- Variable
- Comparable power and speed

## Deployment

- Proven and established
- Variety of vehicles - models



# Major Alternative Fuels/Vehicles in the San Diego Region

- Electric Vehicles – both light and medium duty
- Hybrid Vehicles – both light and medium duty
- Compressed Natural Gas (CNG) – light, medium and heavy duty
- Biodiesel, Propane and Ethanol used to lesser degree

# Electric Vehicles in the San Diego Region





# Plug-in Electric Cars



Ford Focus EV 2012



Ford C-MAX Energi 2012



Tesla Model X 2014



Toyota RAV4 EV 2012

- “There are now 26 brands planning to have 44 electric vehicles on the road within the next three years.” – G.M. Jan 2012 (gas hybrids included in this number)



VW Blue-e-motion 2013



Tesla Model S 2012



Ford Transit Connect 2011



2013 Ford Fusion Plug-in Hybrid



# Natural Gas Vehicles in the San Diego Region



# Electric Vehicle Roadside Assistance

## Safety is the Key Issue


- Do not touch the orange wires
- Do not assume even if the vehicle has not been operated that the battery is fully discharged.
- High voltage capacitors can hold the electrical charge for up to 10 minutes after a vehicle shut down.
- Consider all orange coded cables to be energized until proven otherwise.



Ford Focus Electric  
Vehicle Engine  
Compartment





# Electric Vehicle Roadside Assistance



# Electric Vehicle Roadside Assistance

## Nissan Guide for Emergency Response





**LEAF**

# Electric Vehicle Roadside Assistance

- Nissan's electric vehicle (EV), Leaf, should be towed with the driving (front) wheels off the ground or the vehicle should be placed on a flatbed truck.


## Key Points for Towing the Leaf:

- Never tow with the front wheels on the ground or four (4) wheels on the ground (forward or backward), as this may cause serious and expensive damage to the motor.
- Transport the vehicle after turning the power switch OFF.
- When towing this vehicle with the rear wheels on the ground (if you do not use towing dollies), always release the parking brake.
- Tow chains or cables must be attached only to the vehicle recovery hook or main structural members of the vehicle. Otherwise, the vehicle body will be damaged.
- Pulling devices should be routed so they do not touch any part of the suspension, steering, brake, high voltage or cooling systems.


# Electric Vehicle Roadside Assistance

## TOWING the LEAF

Tow the vehicle by holding up the drive (front) wheels or on a flatbed in order to prevent secondary damage from voltage generated by the motor. Refer to the following illustration:



- 1. Using a suitable tool wrapped with a protective cloth, remove the recovery hook cover from the bumper.




# Electric Vehicle Roadside Assistance

- **Towing the LEAF cont.**
- Securely install the recovery hook as illustrated. The recovery hook is located in the tool kit area in the left side of the cargo area.
- Attach the winch cable securely to the recovery hook.
- Make sure the winch cable remains fully connected to the recovery hook and does not interfere with surrounding area, take up the slack from the cable.
- Release the parking brake.
- Place the selector lever in the N (Neutral) position.
- Carefully pull the vehicle onto the flatbed.
- Be careful not to pull the vehicle too close to the winch. Doing so will cause excessive downward force being applied to the recovery hook. Too much downward force may result in vehicle damage. Lower the flatbed and finish rolling the vehicle forward if necessary.
- Secure the vehicle to the flatbed by using wheel baskets at all 4 wheel positions.
- Make sure that the vehicle recovery hook is properly secured in its original position after use and the recovery hook cover has been reinstalled properly.



# Towing the LEAF



# Electric Vehicle Roadside Assistance

**Of course, not all electric vehicles are engineered identically.**

- The Nissan Leaf and Ford Transit Connect EV do not have transmissions. They are front-wheel-drive vehicles, so towing them from the front with the rear wheels turning on the road will not result in damage.
- Additionally, these are equipped with a single ratio gearbox that allows them to be shifted into either a "Park" setting, which locks the driven wheels, or into "Neutral," to disconnect the electric motor from the driven wheels.
- With the Ford Transit Connect Electric van in particular, "there are no differences in how you would tow this vehicle versus a stock gasoline-powered Transit Connect."
- "The vehicle is designed to be transparent to the operator." Neutral is selected with a normal-looking gear shifter, and tow truck operators would not need to take any additional steps beyond shifting the van into neutral before driving away with it.





# Charging on the Road




# Volt - Electric Vehicle Roadside Assistance

- **Towing the Chevy Volt**

- The Chevy Volt sits about 2 inches lower to the ground than many other vehicles requiring a special approach to towing.

- **Loading the Volt on a Flatbed**

- Ensure that the vehicle is on a flat surface. If the vehicle is not on a flat surface, use the front torque box openings to pull the vehicle onto a flat surface. **NOTE:** Do not use the torque box openings to pull the vehicle out of a ditch.
- The front tires must be properly inflated. If a front tire is low, inflate to the recommended pressure. If a front tire is damaged, replace it with a rear tire.
- Place the tow chain hooks into one of the reinforced front torque box openings, located just behind the front wheels.





# Electric Vehicle Roadside Assistance

- Place a 4"X"4 wood beam under the front cradle crossmember and on top of both tow chains to ensure the tow chains do not come in contact with the front fascia.  
**IMPORTANT:** Do not attempt to tow a Volt using sling or wheel lift tow equipment.
- Ramps are required for the front fascia to clear the flatbed. Ramp height should be approximately 4 inches.
- When the front fascia has enough clearance to clear the flatbed, lower the flatbed and finish pulling the vehicle onto the flatbed.
- Secure the vehicle using nonabrasive straps through all four wheel openings and secure the straps to the flatbed.



# Volt - Electric Vehicle Roadside Assistance

## Recovery From Off-Shoulder

- **FRONT** - Attach chains to the front torque box
- **REAR** - Wrap a tow strap through one or both rear trailing arms, between the brushing on the torque tube, and pull the vehicle onto a flat surface. **DO NOT** wrap the tow strap around the rear torque tube.
- **IMPORTANT:** When using tow straps to move the vehicle, damage may occur if the tow straps contact the rear fascia.

# Towing the VOLT – getting clearance



# Ford Focus Electric Vehicle

## MOVING DAMAGED VEHICLES

- Do not attempt to pull / tow vehicle with all four wheels on the ground as this may cause the vehicle to generate electricity and can cause potential damage.
- If possible, remove the high-voltage service disconnects.
- Rather than attempt to discharge a propulsion battery, an emergency responder, tow truck operator, or storage facility manager should contact experts at the vehicle manufacturer on that subject.
- Operators of tow trucks and vehicle storage facilities should ensure the damaged vehicle is kept in an open area instead of inside a garage or other enclosed building.
- Follow the guidelines in the Wrecker Towing Manual. — Front Tow: Wheel Lift (FWD) — Rear Tow: Wheel Lift with Dolly (FWD) — Flatbed: (FWD)
- If you detect leaking fluids, sparks, smoke, flames, increased temperature, gurgling, popping or hissing noises from the high-voltage battery compartment, ventilate the passenger area (i.e., roll down windows or open doors) and call 911.
- Be alert. There is potential for delayed fire with damaged lithium-ion batteries.
- Always approach vehicle from the sides to stay out of potential travel path. It may be difficult to determine if the vehicle is running due to lack of engine noise.

# Honda EV Fit

- The preferred method is to use a flat bed tow truck.
- If wheel lift equipment must be used, be sure to suspend the front wheels and release the parking brake.
- Be aware that when rolling a damaged Fit EV on the ground the electric motor can produce electricity and remains a potential source of electric shock even when the high-voltage system is turned off.



# Hybrids – the guys in the Middle

- For hybrids all the cautions of the “ORANGE WIRE” noted for the Electric Vehicle are also present
- However, for most purposes the hybrid roadside assistance can be treated the same as a “regular” gasoline vehicle.
- If the 12 Volt auxiliary battery is discharged or disconnected the vehicle cannot be started nor can it be shifted out of park. If discharged, the 12-volt auxiliary battery can be jump started to allow vehicle starting and shifting out of park.
- Note – the Prius is front wheel drive and must be towed with front wheels off the ground

# Basics: Natural Gas

## Compressed Natural Gas (CNG)

- Stored in onboard tanks under high pressure
- Fuel economy similar to gasoline

## Liquefied Natural Gas (LNG)

- Kept at cold temperatures
- Stored in double-wall, vacuum-insulated pressure vessels
- Heavy-duty vehicles
- Fuel economy over 80% of diesel



# Use: Fleet Applications

## Light-Duty NGVs

- Suitable for light-duty needs in private and government fleets
- Honda Civic GX

## Medium-Duty NGVs

- Vans and shuttles
- Airports and taxi fleets

## Heavy-Duty NGVs

- Refuse haulers
- Transit buses
- School buses
- Long-haul trucks
- Street sweepers
- Snowplows
- Short-haul delivery trucks



**Natural Gas Vehicles for America**  
[www.ngvamerica.org](http://www.ngvamerica.org)

# CNG Safety

- Being a gaseous fuel stored at high pressure, CNG presents unique safety concerns
- Vehicle tanks & fuel systems should be inspected at least every 3 years/36000 miles
- Inspectors should be accredited by CSA (Canadian Standards Association)
- CSA is recognized by [Occupational Safety & Health Administration](#) (OSHA) and [American National Standards Institute](#) (ANSI)

# CNG Safety




- CNG vehicular fuel systems regulations are written by the National Fire Protection Association (NFPA)
- Vehicular CNG guidelines are found in NFPA Code part 52 [www.nfpa.org](http://www.nfpa.org)
- All CNG Vehicle Fuel Containers **MUST** also meet FMVSS 304 (49 CFR 571.304)
- All CNG Vehicle Fuel Containers **SHOULD** meet ANSI/CSA NGV<sub>2</sub>

# CNG Safety

Summary of DOT tank requirements:

Type of Tests	Description
<b>Pressure Cycle</b>	10,000 cycles to 100% service pressure plus 30 cycles to 166% service pressure.
<b>Environmental Cycling</b>	Precondition then cycle for 5000 cycles at 140F, then 5000 cycles at -40F.
<b>Burst</b>	3.0 times service pressure for FRP-1, 2.5 times for FRP-2.
<b>Gunfire</b>	No fragmentation.
<b>Bonfire</b>	Container safely vents.




Graphics: NGVC

# CNG Safety

Summary of ANSI (NGV 2) requirements

Type of Tests	Description
Pressure Cycle	Cycle for 13,000 cycles to 100% service pressure plus 5,000 to 125% service pressure.
Burst	Ensure burst at 2.25 service pressure
Bonfire	Container completely vents through a pressure relief device or retains contents without bursting.



Graphics: NGVC



# CNG Crash Safety

- NY State CNG vehicle rear ended on NY Thruway
- Extra framing around CNG tank may have prevented injury to driver



Graphic: NGVC

# CNG Roadside Assistance

## Key Issue is Safety – Is there a Fuel Leak?

- Smell for gas.
- Beware of any fire, sparks, or electrostatic charges before approaching the vehicle.
- Close the manual shutoff valve and check the fuel system near the damaged area for any gas leaks.
- Do not carelessly turn on the lights or electric fans because natural gas, which is lighter than air, tends to settle upward.
- Open all the doors of the vehicle to introduce fresh air, and turn the ignition switch OFF.
- Beware that the gas remaining in the pipes could leak out, depending on the area of the damage, even after the ignition switch has been turned OFF or the manual shutoff valve has been closed .
- Check the fuel system again for any gas leaks .



# CNG Roadside Assistance

## Addressing a Fuel Leak

- Fuel shut-off valves are located in the wheel well of many passenger vehicles
- For fleet vehicles the shut-off maybe clearly marked
- Consult Manufacturer information for specific location

# CNG Roadside Assistance

- The Civic GX has a CNG manual shutoff valve to stop the flow of CNG from the fuel tank.
- The red handle of the valve is located near the left rear tire and the splash guard on 1998-2005 models and in front of the left rear tire on 2006 and later models.
- To access the handle, reach around the front or rear of the left rear wheel, depending on the model. To stop the flow of CNG, turn the handle one-quarter turn clockwise.
- The Civic GX (Natural Gas) does not present any greater hazards than a conventional gasoline powered vehicle.
- Each of the four models have performed very well in crash tests performed according to the National Highway Traffic Safety Administration standards.

# CNG Civic Manual Shut Off Valve Locations

2001-2005 Models



2006-2011 Models



# CNG Roadside Assistance

## Towing

- Honda - The preferred method for transporting the Civic away from an emergency location is on a flatbed truck.
- If a flatbed is not available, wheel-lift equipment may be used, preferably with the front wheels lifted.
- If the rear wheels must be raised, set the parking brake, and shift the transmission to neutral before towing.



# CNG Roadside Assistance

## Other General Assistance

- Jump Start Battery is OK
- No fueling – need specialized vehicles



# Biodiesel, Ethanol, and Propane

- For vehicles using either of these fuels there is no difference in towing requirements in comparison to their diesel or gasoline counterparts.
- Providing diesel fuel to a vehicle newly using a high mixture of biodiesel may not be effective as clogged fuel filters can occur when first using biodiesel.
- The key issue with propane is fuel leakage...if you smell the propane, do not tow until fuel issue is addressed. Propane will tend to “puddle” like diesel or gasoline....

# RESOURCES

- Honda Emergency Response Guide for CNG Civic  
<https://techinfo.honda.com/rjanisis/pubs/web/Y0661.pdf>
- General Motors Emergency Response Guide for Volt  
[http://boronextrication.com/files/2010/11/2011-Chevrolet-Volt-Emergency-Response-Guide\\_ERG.pdf](http://boronextrication.com/files/2010/11/2011-Chevrolet-Volt-Emergency-Response-Guide_ERG.pdf)
- Toyota Prius Emergency Response Guide – Hybrid 2012  
[http://boronextrication.com/files/2010/11/2012\\_Toyota\\_Prius\\_V\\_Hybrid\\_Emergency\\_Response\\_Guide.pdf](http://boronextrication.com/files/2010/11/2012_Toyota_Prius_V_Hybrid_Emergency_Response_Guide.pdf)
- Toyota Camray CNG  
<https://techinfo.toyota.com/techInfoPortal/staticcontent/en/techinfo/html/prelogin/docs/cng.pdf>
- CAL Fire – State Fire Marshall :The Emergency Response Guide to Alternative Fuel Vehicles – June 2009  
<http://www.osfm.fire.ca.gov/training/pdf/alternativefuelvehicles/Altfuelintroduction.pdf>
- Nissan LEAF Emergency Response Guide  
<http://boronextrication.com/2011/01/nissan-leaf-emergency-response-guide-erg/>
- Ford Wrecker Towing Manual  
[http://www.motorcraftservice.com/vdirs/quickref/2012\\_WreckerTowing\\_Manual.pdf](http://www.motorcraftservice.com/vdirs/quickref/2012_WreckerTowing_Manual.pdf)

# Resources

## FireFighter Nation 2007

<http://my.firefighternation.com/profiles/blogs/889755:BlogPost:24782?q=profiles/blogs/889755:BlogPost:24782>

- **Alternative Fuel Emergency Response Guides:** [Download Hybrid Response Guide - Chevrolet Malibu](#)  
[Download Hybrid Response Guide - Ford Escape](#)  
[Download Hybrid Response Guide - Honda - All Models](#)  
[Download Hybrid Response Guide - Lexus 450h](#)  
[Download Hybrid Response Guide - Lexus RX400h](#)  
[Download Hybrid Response Guide - Nissan Altima](#)  
[Download Hybrid Response Guide - Saturn Aura](#)  
[Download CNG Response Guide - Toyota Camry - CNG](#)  
[Download Hybrid Response Guide - Toyota Camry](#)  
[Download Hybrid Response Guide - Toyota Fuel Cell Hybrid Combo](#)  
[Download Hybrid Response Guide - Toyota Highlander](#)  
[Download Hybrid Response Guide - Toyota Prius - Generation 1](#)  
[Download Hybrid Response Guide - Toyota Prius - Generation 2](#)  
[Download Hybrid Response Guide - Toyota Rav4](#)



**The End**

# **San Diego Plug-in Electric Vehicle Community Seminar**

*The Electric Vehicle Infrastructure Training Program*

## **Electric Vehicle Infrastructure Training Program (EVITP) Summary**

On January 29, 2013, at SDG&E's Energy Innovation Center, there was a great turn-out for the Electric Vehicle Infrastructure Training Program (EVITP) seminar. Participants from electrical contractors, planners to inspectors and government officials all came by to learn more about Electric Vehicle (EV) infrastructure and upcoming public charging station projects in the San Diego region.

The following presentations were given during the course of the seminar:

- Introduction to EV Infrastructure Training and Instructors (Bernie Kotlier, EVITP)
- EV Codes and Standards (Rubio Rubio, EVITP)
- Site Assessments, Load Calculations, and Safety (Rubio, Rubio)
- EV Permitting (Bernie Kotlier and Tyler Petersen, CCSE)
- Introduction to Utility Notification (Bernie Kotlier)
- San Diego Gas & Electric Utility Presentation (Joel Pointon, SDG&E)
- "PEV-Ready" Policy Recommendations (Tyler Petersen)
- City of San Diego (Martin Montessoro, Development Services Department)
- City of Chula Vista (Andrew McGuire, Sustainable Communities Outreach Program)
- NRG Energy, eVgo San Diego Project (Jill Brandt)
- Charge Point America, MultiCharge San Diego project (Michael Jones)
- ECotality (Andy Hoskinson)
- The California Fleets and Workplace Alternative Fuels Project, San Diego (Kevin Wood, CCSE/San Diego Regional Clean Cities)

Attendees were given presentations that ranged from EV codes and standards, and information about on-site assessments to load calculations and safety guidelines for the installation of charging stations. Attendees learned about how and where electricians can be trained to properly install Electric Vehicle Supply Equipment (EVSE), the best practices of EVSE permitting and inspection, how cities can best accommodate EVs in their new policy, and what new EV projects are taking root in the San Diego region.

eVgo presenter, Jill Brandt, stated that San Diego will be the first region in California to see eVgo's "Freedom Stations", which will include a DC Fast Charger and level 2 charging options. ChargePoint America presenter, Michael Jones, provided audience members with an overview of the Multi-Charge San Diego project, which will install approximately 200 level 2 EVSE charging stations at multi-family locations within the County of San Diego. The project will also create a Load Research Monitoring pilot program that will provide data on load management and demands on transformers to aid utilities in developing capital infrastructure plans.

Additionally, during lunch time, attendees got a chance to look at EVs on display, such as the all-electric Toyota RAV-4 and the Ford C-MAX plug-in hybrid, and browse samples of charging equipment as well.

### **Lessons Learned**

With the wide variety of presentations given from experts across the industry, the following are significant outcomes and lessons learned that attendees walked away with:

- The EVITP representatives highlighted the importance of having properly trained electricians to install EVSE's.
- With the assistance of Bernie Kotlier, Tyler Petersen of CCSE identified the need to streamline the permit and inspection process of residential EVSEs.
- Joel Pointon of SDG&E identified the importance of utility notification of an EVSE installation.
- Martin Montessoro and Andrew McGuire provided a municipality perspective and highlighted the internal benefit of adopting EVSE permitting and inspection best practices.



## San Diego Plug-in Electric Vehicle Community Seminar

### The Electric Vehicle Infrastructure Training Program

- Representatives from ECOTALITY, eVgo and ChargePoint displayed their businesses and identified their next steps towards the installation of EVSE's across San Diego County through projects such as the Multi-Charge San Diego project, The EV Project and "Freedom Station" installations.
- With the framework already in place in Houston Texas, eVgo highlighted the potential for a large amount of multi-unit dwelling installations across San Diego County.

### **Electric Vehicle Infrastructure Training Program (EVITP) Presentations**

<b>Introduction to EV Infrastructure Training and Instructors</b> <i>EV Codes and Standards/Site Assessments, Load Calculations, and Safety Guidelines</i>	
Description	<p>The EVITP program is a structured platform for delivering training and certification for the installation of (EVSEs) in and around Residential, Commercial &amp; Public Facilities. EVITP is a non-profit, volunteer, EV industry, collaborative training program that addresses the technical requirements, safety imperatives, and performance integrity of industry partners and stakeholders.</p> <p>The EVITP provides training on EV codes and standards, will teach electricians how to properly complete a site assessment and load calculation while highlighting safety as a top priority.</p>
Key Items	<p>The detailed EVITP program provides assurance that trained electricians will have the knowledge and skill to properly install an EVSE. Although all EVSE installations must be completed by a California State Licensed electrician, it currently is not a requirement that the electrician be EVITP certified.</p> <p>With the amount of detail and the associated skills needed to complete an EVSE installation, it is highly encouraged that all electricians working in the electric vehicle industry receive this training.</p>
Next Steps	<p>If you are interested in locating an EVITP certified electrician, please contact Bernie Kotlier directly to receive a list of contractors who employ these electricians.</p> <ul style="list-style-type: none"> <li>• Bernie Kotlier, EVITP</li> <li>• <a href="mailto:lmccenergy@gmail.com">lmccenergy@gmail.com</a></li> </ul>

<b>Permitting for Electric Vehicle Supply Equipment (EVSE) Installations*</b>	
Description	<p>The typical cost of a residential EVSE installation ranges from \$300 to \$1,900 in California, according to Mr. Kotlier. Associated permit fees typically contribute to 5% - 20% of the total cost of the installation. According to national data from SPX, permit fees have ranged from \$0 to \$625, with the average permit fee in California among the highest in the nation.</p>
Key Items	<p>Because of the high and unpredictable cost of permits, it is imperative that the industry work to standardize processes in an attempt to provide consistency throughout all the different regions. According to the Plug-In Electric Vehicle Collaborative, a "Best Practice" permitting process for EVSEs would include the following elements:</p> <ol style="list-style-type: none"> <li>1. A Unique Permit Application</li> <li>2. Online (if available) or Over-the-Counter Permit Process</li> <li>3. Template Based Forms</li> <li>4. A Unique EVSE Permit Fee</li> <li>5. Avoid Electrician Required Attendance at Inspection</li> <li>6. Develop Outreach and Training Plans</li> </ol>
Next Steps	<p>For more information, please go to <a href="http://www.energycenter.org/pluginready">www.energycenter.org/pluginready</a> for more information jurisdiction issuance time and permit cost for EVSE installations in the San Diego region.</p>

\*EVSE is also referred to as electric vehicle supply stations

**San Diego Plug-in Electric Vehicle Community Seminar**  
*The Electric Vehicle Infrastructure Training Program*

<b>Introduction to Utility Notification/San Diego Gas &amp; Electric Utility Presentation</b>	
Description	While using electricity as a source to fuel electric vehicles, it is important that the utility be notified when an EVSE is being installed in their territory. As the infrastructure for EV's continues to grow, the demand on the grid will grow as well.
Key Items	<p>It is important that customers are aware of the different EV rates that are provided by the utility. San Diego Gas &amp; Electric customers who have an EV can sign up for an Electric Vehicle Time-of-Use (EV-TOU) rate and receive lower rates for charging their vehicle during off-peak hours, between midnight at 5 A.M. EV-TOU rates are offered to encourage customers to limit daytime usage of electricity, when demand for electricity is highest.</p> <p>By opening up the communication lines between customers who install an EVSE and the utility, customers have a greater opportunity for learning about all the available electricity rates for EV owners.</p>
Next Steps	Download a copy of the For more information, please go to <a href="http://www.energycenter.org/pluginready">www.energycenter.org/pluginready</a>

**San Diego PEV Readiness Assessment & City PEV Projects Updates**

<b>"PEV-Ready" Policy Recommendations</b>	
Description	<p>The San Diego Regional PEV Readiness Assessment was recently released. This assessment evaluates the regional state of PEV readiness focusing on five core issues:</p> <ol style="list-style-type: none"> <li>1. Zoning &amp; Parking</li> <li>2. Streamline Permitting and Inspection</li> <li>3. Building Codes</li> <li>4. Training and Education</li> <li>5. Outreach to Local Businesses and Residents</li> </ol>
Key Items	<p>Based on the research conducted, the following recommendations have been proposed:</p> <ul style="list-style-type: none"> <li>• Implement consistent general service and regulatory signage for PEVs</li> <li>• Expand safety training for emergency first responders</li> <li>• Adopt/update prewiring for EVSE in residential and nonresidential new construction</li> <li>• Develop a PEV resources page on regional municipal websites</li> </ul>
Next Steps	The complete assessment can be found at the following site: <a href="http://www.energycenter.org/pluginready">www.energycenter.org/pluginready</a>

<b>City of San Diego, Development Services Department</b>	
Description	Martin Montessoro from the City of San Diego's Development Services Department presented to the group the city's Technical Policy 11B-1 along with a guide on "How to Obtain a Permit for Electric Vehicle Charging Systems". The City of San Diego is one of the first in the San Diego region to issue such policies.

## San Diego Plug-in Electric Vehicle Community Seminar

*The Electric Vehicle Infrastructure Training Program*

Key Items	<p>Technical Policy 11B-1, “Accessibility to Electrical Vehicle Charging Stations” was issued on April 19, 2012. The City of San Diego’s policy applies to the installation of EV Charging Stations in both new and existing construction and is currently available for review. The policy also includes information on accessibility standards.</p> <p>The “How to Obtain a Permit for Electric Vehicle Charging Systems” is an informational bulletin that describes the permitting and inspection process for the installation of an Electrical Vehicle Charging system (EVCS) on an existing site or building.</p>
Next Steps	<p>The Technical Policy 11B-1 can be found at the following site: <a href="https://www.sandiego.gov/development-services/pdf/industry/tpolicy11b1.pdf">https://www.sandiego.gov/development-services/pdf/industry/tpolicy11b1.pdf</a></p> <p>The “How to Obtain a Permit for Electric Vehicle Charging Systems” can be found at the following site: <a href="http://www.sandiego.gov/development-services/pdf/industry/infobulletin/ib187.pdf">http://www.sandiego.gov/development-services/pdf/industry/infobulletin/ib187.pdf</a></p>

City of Chula Vista	
Description	In September of 2012, the City of Chula Vista submitted an informal request for quotes for a turn-key electric vehicle charging stations. The informal request for quotes were seeking service-oriented vendors to fully fund, install, operate, maintain, and market electric vehicle (EV) charging stations at municipal parking lots for public use.
Key Items	After reviewing the submittal proposals, the City of Chula Vista awarded ECotality with this project with whom they are currently working with to install EVSEs at the 24 potential sites.

## San Diego Regional Electric Vehicle Infrastructure Projects

NRG Energy, eVgo San Diego Project	
Description	<p>eVgo, a subsidiary of NRG Energy, has committed to build hundreds of eVgo Freedom Station sites and the infrastructure for thousands of individual eVgo Level 2 charging stations throughout the state. These installations will take place at offices, multi-family communities and more throughout major metropolitan cities California.</p> <p>Each eVgo’s Freedom Station site have installed – one L2 station, one DC fast charging station and one “pre-install” for a second DC fast charger.</p>
Key Items	eVgo is just getting started in the California market so in order to install these chargers throughout the state, eVgo will need to make connections with local municipal staff and become educated on the permitting processes and build the necessary network in order to identify potential installation sites.
Next Steps	In order to expedite these installations, it is important for eVgo to connect with municipal staff to learn the permitting process for their respective jurisdiction and streamline the DC fast charger installations. At events such as this, eVgo was able to make these connections.

**San Diego Plug-in Electric Vehicle Community Seminar**  
*The Electric Vehicle Infrastructure Training Program*

<b>Charge Point America, MultiCharge San Diego Project</b>	
Description	Charge Point America received a California Energy Commission EVSE Infrastructure Grant for \$499,512 plus matching commitments. The program will begin in Q2 of 2013 through community outreach and request for applications. These installations are expected to begin in Q3 2013 and complete in Q2 2014.
Key Items	For this project, Charge Point is expecting to install approximately 200 L2 EVSE charging stations at multi-dwelling unit (MDU) locations within the County of San Diego. Additionally, with this funding, a Load Research Monitoring pilot program is being created in order to provide data on load management and demands on transformers to aid utilities in developing capital infrastructure plans.
Next Steps	Charge Point America highlighted the importance of collaborating with the City of San Diego, SDG&E and The San Diego Association of Governments in order to streamline the permitting process for installing EVSE infrastructure at MDU locations.

<b>ECOTALITY, MultiCharge San Diego Project</b>	
Description	Managing the largest deployment of electric vehicles and charging infrastructure in history, ECOTALITY provided a summary and update on The EV Project. In August 2009, ECOTALITY was awarded a \$99.8 million dollar grant from the U.S. Department of Energy which launched in October of 2009. As of today, more than 300 Blink stations have been installed in San Diego through The EV Project subsidies.
Key Items	The EV Project has given the industry a great jump start to the installation of EVSEs; however, it has also exposed barriers in the San Diego market that will need to be continually addressed in order to expand the PEV market.
Next Steps	The EV Project is in the process of completing the installations for its subsidy program in the San Diego region. The next steps will study the utilization of the charging stations in its network. These studies will likely be published as white papers on the EV Project website by Q4 2013.

<b>The California Fleets and Workplace Alternative Fuels Project, San Diego</b>	
Description	The California Fleets and Workplace Alternative Fuels Project are multiple efforts aimed at eliminating the barriers to deployment of alternative fuel vehicles. Best practices, training initiatives and market development and outreach are just a few steps that are being taken to reach the program goals.
Key Items	In order to reduce barriers, best practice toolkits are being created for the permitting of Natural Gas stations, hydrogen stations and fleet deployment of alternative fuel infrastructure. Additionally, it is imperative that training needs around alternative fuel and advanced technology vehicles be assessed and the appropriate trainings be coordinated.
Next Steps	At the first part of this year, the project is really focusing on training needs and assessments. Moving into the summer months, the focus will shift onto best practices development. In the Fall of this year, the program focus will transition to trainings and best practice workshops.